

COMPREHENSIVE SERVICES

We offer competitive repair and calibration services, as well as easily accessible documentation and free downloadable resources.

SELL YOUR SURPLUS

We buy new, used, decommissioned, and surplus parts from every NI series. We work out the best solution to suit your individual needs.

 Sell For Cash  Get Credit  Receive a Trade-In Deal

OBSOLETE NI HARDWARE IN STOCK & READY TO SHIP

We stock **New**, **New Surplus**, **Refurbished**, and **Reconditioned** NI Hardware.



A P E X W A V E S

Bridging the gap between the manufacturer and your legacy test system.



1-800-915-6216



www.apexwaves.com



sales@apexwaves.com

All trademarks, brands, and brand names are the property of their respective owners.

Request a Quote

 **CLICK HERE**

GPIB-1284CT

SPECIFICATIONS FOR THE GPIB-1284CT, GPIB-232/485CT-A, AND GPIB-232/485CV-A

Use the following specifications for the GPIB-1284CT, GPIB-232/485CT-A, and GPIB-232/485CV-A instead of those listed in your manual(s).

AC Version

Current requirement

100–120 VAC	55 mA
220–240 VAC	45 mA

DC Version

Minimum current requirement 700 mA



322615A-01

Oct99