#### **COMPREHENSIVE SERVICES**

We offer competitive repair and calibration services, as well as easily accessible documentation and free downloadable resources.

### **SELL YOUR SURPLUS**

We buy new, used, decommissioned, and surplus parts from every NI series. We work out the best solution to suit your individual needs.

Sell For Cash Get Credit Receive a Trade-In Deal

## **OBSOLETE NI HARDWARE IN STOCK & READY TO SHIP**

We stock New, New Surplus, Refurbished, and Reconditioned NI Hardware.



**Bridging the gap** between the manufacturer and your legacy test system.

0

1-800-915-6216



www.apexwaves.com

sales@apexwaves.com

All trademarks, brands, and brand names are the property of their respective owners.

Request a Quote



**PXI-1031DC** 

## **INSTALLATION GUIDE**


# 4-6 Slot PXI Chassis Handle/Feet Kit

To install the kit, complete the following steps.

- 1. Remove COA label plate (as required).
- 2. Install the handle and four rubber feet using eight M4 screws.



**Note** You can install the handle/feet kit on either side of the chassis.



1 COA Label Plate 2 M4 Screws (Qty. 8)

- 3 Rubber Feet (Qty. 4)
- 4 Chassis Handle (Qty. 1)

Figure 1. 4-6 Slot PXI Chassis with Optional Handle/Feet Kit



LabVIEW, National Instruments, NI, ni.com, the National Instruments corporate logo, and the Eagle logo are trademarks of National Instruments Corporation. Refer to the *Trademark Information* at ni.com/trademarks for other National Instruments trademarks. Other product and company names mentioned herein are trademarks or trade names of their respective companies. For patents covering National Instruments products/technology, refer to the appropriate location: Help>Patents in your software, the patents.txt file on your media, or the *National Instruments Patent Notice* at ni.com/patents.