

COMPREHENSIVE SERVICES

We offer competitive repair and calibration services, as well as easily accessible documentation and free downloadable resources.

SELL YOUR SURPLUS

We buy new, used, decommissioned, and surplus parts from every NI series. We work out the best solution to suit your individual needs.

 Sell For Cash  Get Credit  Receive a Trade-In Deal

OBSOLETE NI HARDWARE IN STOCK & READY TO SHIP

We stock **New**, **New Surplus**, **Refurbished**, and **Reconditioned** NI Hardware.



Bridging the gap between the manufacturer and your legacy test system.

 1-800-915-6216

 www.apexwaves.com

 sales@apexwaves.com

All trademarks, brands, and brand names are the property of their respective owners.

Request a Quote

 **CLICK HERE**

PXI-7842R

NOTE TO USERS

NI 78xxR and NI 78xx Pinout Labels for the SCB-68

Reconfigurable I/O R Series Modules/Devices Using the 68-Pin Shielded Connector Block

If you are using an NI 78xxR and NI 78xx (formerly referred to as R Series) reconfigurable I/O device or module with the SCB-68, you can print and attach a connector-specific pinout label to the cover of the connector block for easy connection reference. This document provides labels for the following models:


- NI PCI-7811R
- NI PCI-7813R
- NI PCI-7830R
- NI PCI-7831R
- NI PCI-7833R
- NI PCIe-7841R
- NI PCIe-7842R
- NI PCIe-7846
- NI PCIe-7856
- NI PCIe-7857
- NI PCIe-7858
- NI PCIe-7851R
- NI PCIe-7852R
- NI PXI-7811R
- NI PXI-7813R
- NI PXI-7830R
- NI PXI-7831R
- NI PXI-7833R
- NI PXI-7841R
- NI PXI-7842R
- NI PXI-7851R
- NI PXI-7852R
- NI PXI-7853R
- NI PXI-7854R
- NI PXIe-7846R
- NI PXIe-7847R
- NI PXIe-7856R
- NI PXIe-7857R
- NI PXIe-7858R
- NI PXIe-7861
- NI PXIe-7862
- NI PXIe-7865
- NI PXIe-7866
- NI PXIe-7867R
- NI PXIe-7868R
- NI USB-7845R
- NI USB-7846R
- NI USB-7855R
- NI USB-7856R



Note To find the appropriate cable for your device, go to ni.com/info and enter Info Code `scb68acables`.


Use the following label if you are connecting the SCB-68 to the MIO Connector 0 on NI PXIe-7861/7862 models.

Figure 1. MIO Connector 0 for NI PXIe-7861/7862




Use the following label if you are connecting the SCB-68 to the MIO Connector 1 on NI PXIe-7861/7862 models.

Figure 2. MIO Connector 1 for NI PXIe-7861/7862




Use the following label if you are connecting the SCB-68 to the AIO Connector on NI PXIe-7865/7866 models.

Figure 3. AIO Connector for NI PXIe-7865/7866




Use the following label if you are connecting the SCB-68 to the AO Connector on NI PXIe-7865/7866 models.

Figure 4. AO Connector for NI PXIe-7865/7866




Use the following label if you are connecting the SCB-68 to the MIO connector on NI PXIe-7867R/7868R models.

Figure 5. MIO Connector for NI PXIe-7867R/7868R




Use the following label if you are connecting the SCB-68 to the AO connector on NI PXIe-7867R/7868R models.

Figure 6. AO Connector for NI PXIe-7867R/7868R




Use the following label if you are connecting the SCB-68 to the MIO connector on NI 7830R models.

Figure 7. MIO Connector for NI 7830R



Use the following label if you are connecting the SCB-68 to the MIO connector on NI 783xR/784x/784xR/785x/785xR models.


Figure 8. MIO Connector for 783xR/784x/784xR/785x/785xR



Note To connect to the MIO connector on NI 7830R models, instead use the label in Figure 7.

Use the following label if you are connecting the SCB-68 to the DIO connector on NI 781xR/783xR/7841R/7842R/7851R/7852R/7853R/7854R models.

Figure 9. DIO Connector for NI 781xR/783xR/7841R/7842R/7851R/7852R/7853R/7854R



Note To connect to the DIO connector on the following models, instead use the SCB-68 HSDIO Shielded Connector Block.

- NI PXIe-7846R/7847R/7856R/7857R/7858R/7865/7866/7867R/7868R
- NI PCIe-7846/7856/7857/7858
- NI USB-7845R/7846R/7855R/7856R

Information is subject to change without notice. Refer to the *NI Trademarks and Logo Guidelines* at ni.com/trademarks for more information on NI trademarks. Other product and company names mentioned herein are trademarks or trade names of their respective companies. For patents covering NI products/technology, refer to the appropriate location: **Help»Patents** in your software, the `patents.txt` file on your media, or the *National Instruments Patents Notice* at ni.com/patents. You can find information about end-user license agreements (EULAs) and third-party legal notices in the readme file for your NI product. Refer to the *Export Compliance Information* at ni.com/legal/export-compliance for the NI global trade compliance policy and how to obtain relevant HTS codes, ECCNs, and other import/export data. NI MAKES NO EXPRESS OR IMPLIED WARRANTIES AS TO THE ACCURACY OF THE INFORMATION CONTAINED HEREIN AND SHALL NOT BE LIABLE FOR ANY ERRORS. U.S. Government Customers: The data contained in this manual was developed at private expense and is subject to the applicable limited rights and restricted data rights as set forth in FAR 52.227-14, DFAR 252.227-7014, and DFAR 252.227-7015.

© 2018–2020 National Instruments. All rights reserved.