

COMPREHENSIVE SERVICES

We offer competitive repair and calibration services, as well as easily accessible documentation and free downloadable resources.

SELL YOUR SURPLUS

We buy new, used, decommissioned, and surplus parts from every NI series. We work out the best solution to suit your individual needs.

 Sell For Cash  Get Credit  Receive a Trade-In Deal

OBSOLETE NI HARDWARE IN STOCK & READY TO SHIP

We stock **New**, **New Surplus**, **Refurbished**, and **Reconditioned** NI Hardware.



Bridging the gap between the manufacturer and your legacy test system.

 1-800-915-6216

 www.apexwaves.com

 sales@apexwaves.com

All trademarks, brands, and brand names are the property of their respective owners.

Request a Quote

 **CLICK HERE**

SH1006868



EU Declaration of Conformity

According to EN ISO/IEC 17050-1: 2010

Manufacturer Name: National Instruments Corp.
Address: 11500 North MoPac Expressway
Austin, Texas, 78759 USA
Web: www.ni.com/certification

We hereby declare under our sole responsibility that the following apparatus:

Product Description: CABLES, ACCESSORIES, & PERIPHERALS
Model Number(s): SEE LIST IN TABLE STARTING ON PAGE 3
Product Category: SEE LIST IN TABLE STARTING ON PAGE 3

Complies with the essential requirements of the following applicable European Directives:

RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU

Conformity is assessed in accordance to the following standards:

Environmental Affairs: EN IEC 63000:2018
Articles manufactured on or after the Date of Issue of this Declaration of Conformity do not contain any of the restricted substances in concentrations/applications not permitted by the RoHS Directive.

August 18, 2022, Austin, Texas USA

Date and Place of Issue

Dany Cheij, Global Product & Trade Compliance Manager



UK Declaration of Conformity

According to BS EN ISO/IEC 17050-1: 2010

Manufacturer Name: National Instruments Corp.
Address: 11500 North MoPac Expressway
Austin, Texas, 78759 USA
Web: www.ni.com/certification

We hereby declare under our sole responsibility that the following apparatus:

Product Description: CABLES, ACCESSORIES, & PERIPHERALS
Model Number(s): SEE LIST IN TABLE STARTING ON PAGE 3
Product Category: SEE LIST IN TABLE STARTING ON PAGE 3

Complies with the essential requirements of the following applicable European Directives:

The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012

Conformity is assessed in accordance to the following standards:

Environmental Affairs: BS EN IEC 63000:2018
Articles manufactured on or after the Date of Issue of this Declaration of Conformity do not contain any of the restricted substances in concentrations/applications not permitted by the RoHS Directive.

August 18, 2022, Austin, Texas USA

Date and Place of Issue

Dany Cheij, Global Product & Trade Compliance Manager



Table 1 – RoHS-Compliant Cables, Accessories, & Peripherals

| Kit Part Number | Component/Assy. | Description |
|-----------------|--|--|
| | Part Number(s) | |
| e.g., 1xxxxx-xx | e.g., 1xxxxxX-xx (rev. X or higher) | Description of RoHS-compliant product (shipping kit) |
| 130343A-01 | 189864B-01 | ACCESSORY KIT, PXIE-1084 TIMING AND SYNC |
| 135851-0R5 | 135851A-0R5 | CABLE ASSY, SHDB9M-IXBF, 0.5M |
| 135852-0R5 | 135852A-0R5 | CABLE ASSY, SHDB9F-IXBF W/THUMBSCREWS, 0.5M |
| 135887-0R5 | 135887A-0R5 | CABLE ASSY, SHDB25F-3IXBF ARINC, 0.5M |
| 142947-01 | 142947B-01 | CABLE ASSEMBLY, SHDB62M-DB62M-LL, LOW LEAKAGE, 1M |
| 143078-0250 | 143078A-0250 | CABLE ASSY, SMP CATCHERS MITT PLUG TO SMP BULKHEAD MOUNT, .047 COAX, 250 MM, PACK OF 4 |
| 143078-02501 | 143078A-0250 | CABLE ASSY, SMP CATHERS MITT PLUG TO SMP BULKHEAD MOUNT, .047 COAX, 250 MM |
| 143555-0R5 | 143555A-0R5 | USB CABLE WITH RETENTION, TYPE-C MALE TO TYPE-A FEMALE, USB 3.1 GEN 1, 3A, 0.5M |
| 144756-32 | 144756A-32 (rev A or higher) | CABLE ASSY, 2X 36-POS GP POGO PIN BLOCKS TO 160 POS DIN, TYPE GP36/2-DIN160, 32IN |
| 144756-40 | 144756A-40 (rev A or higher) | CABLE ASSY, 2X 36-POS GP POGO PIN BLOCKS TO 160 POS DIN, TYPE GP36/2-DIN160, 40IN |
| 146561-27 | 146561A-27 | CABLE ASSY, STS GEN2 SYSTEM, 36-POS GP POGO PIN BLOCK TO DB25 + PS + DMM, 27IN |
| 147746-01 | 147746A-01 | CABLE, BREAKOUT, QSFP TO SMA |
| 147789-27 | 147789A-27 | STS M2, CX, SYSTEM CABLE ASSEMBLY, STS-M2-CX-SYS |
| 148312-01 | 148312A-01 | SHC68-3MDR26-RMIO R SERIES MULTIFUNCTION CABLE, 1M |
| 148709-01 | 148709A-01 | SHC68-2MDR26-RDIO2 R SERIES DIGITAL CABLE, 1M |
| 148795-32 | 148795A-32 | RCB600 POGO CABLE, 36-POS POGO PIN BLOCK TO WIRE FERRULE, NO REMOTE SENSE, 32 IN |
| 148876-12 | 148876A-12 | CABLE GLAND REPLACEMENT PACK, M16 THREAD, QUANTITY 12 |
| 148877-01 | 148877A-01 | CABLE GLAND REPLACEMENT, PG16 THREAD, QUANTITY 1 |
| 148977-01 | 148903A-01 754309-01 | REPLACEMENT 2.4 GHZ OMNI-DIRECTIONAL ANTENNA, STRAIGHT, 1.5 DBI, RP-SMA, WITH BOOT |
| 149055-0R2 | 149055A-0R2 | CHASSIS TRIGGER BREAKOUT CABLE FOR REM, .2M |
| 151672-4R5 | 151672A-4R5 (rev A or higher) | CABLE ASSY, 1394A TO 1394B JACKSCREW, BLACK CABLE, 4.5 M |
| 151733-XX | 151733A-XX | Cable Assy, CAT-5E Ethernet, Thin Profile, 2M, 5M, and 10 M |
| 152166-02 | 152166A-02 (rev A or higher) | USB EXTENSTION WITH RETENTION, TYPE A PLUG AND RECEPTICAL CONNECTORS (2M) |
| 152166-0R5 | 152166A-0R5 (rev A or higher) | USB EXTENSTION WITH RETENTION, TYPE A PLUG AND RECEPTICAL CONNECTORS (.5M) |
| 152403-4R5 | 152403A-4R5 | CABLE ASSY, 1394B JACKSCREW TO 1394B JACKSCREW, BLACK, 4.5 METER |
| 152580-0R25 | 152580A-0R25 | Flying Lead Cable for USB-8452 - 40 PIN |
| 152629-01 | 152629A-01 | SHH19-H19-Aux Shielded Single Ended Cable for Aux Digital I/O with Jackscrew, 1M |
| 152629-02 | 152629A-02 | SHH19-H19-Aux Shielded Single Ended Cable for Aux Digital I/O with Jackscrew, 2M |
| 152637-01 | 152637A-01 | CABLE, SEMI-RIGID, 5624-5653-5606, CLK-IN TO LO2 OUT |
| 152834-01 | 152834A-01 | NI SINGLE-BOARD RIO POWER CABLE |
| 152870-01 | 152870A-01 | SHC68-C68-D4 Shielded Single Ended Cable for High-Speed Digital I/O, Low Leakage, 1M |
| 153108-03 | 153108A-03 | NI 9502 to AKM Motor Power and Feedback Cable Bundle |
| 153166-12 | 743097-01 152731A-01 | 9.65MM STANDOFF (QTY 12) |



| | | |
|------------|-------------------------------|--|
| 153170-01 | 153170C-01L | NI 9693 2-SLOT C SERIES RMC |
| 153171-01 | 153371A-01L | NI 9694 DIGITAL I/O BREAKOUT RIO MEZZANINE CARD |
| 153901-01 | 153585A-01 | NI 9695 Thermal Kit |
| | 153910A-01 | |
| 153901-02 | 153901A-02 | THERMAL KIT FOR SBRIO-9607/9627/9637 |
| 154041-01 | 154041a-12 | NI sbRIO 50 PIN Ribbon Cable with IDC Headers |
| 154302-01 | 154302A-01 | Low Profile I/O Cable, 37-PIN Female DSUB to Male DSUB (1M) |
| 154454-01 | 154454B-01 | MSO LOGIC ANALYZER 40 PIN INPUT CABLE |
| 154752-01 | 154752A-01 (rev A or higher) | 9.65MM STANDOFFS AND SCREWS FOR SBRIO RMC (4X STANDOFF: 4-40 X 0.380 IN, 8X SCREWS: 4-40 X 1/4 IN) |
| 155475-03 | 155475A-03 (rev A or higher) | CABLE, 26-PIN D-SUB MALE TO PIGTAIL, 3M |
| 156083-03 | 156083A-03 (rev A or higher) | 44-PIN HDSUB MALE TO PIGTAIL, 3 METER CABLE |
| 156084-03 | 156084A-03 (rev A or higher) | 44-PIN HDSUB MALE TO 44-PIN HDSUB FEMALE 3 METER CABLE |
| 156084-0R5 | 156084A-0R5 (rev A or higher) | 44-PIN HDSUB MALE TO 44-PIN HDSUB FEMALE .5 METER CABLE |
| 156166-01 | 156166A-01 | SHIELDED R SERIES HIGH SPEED DIGITAL CABLE, 1M |
| 156166-02 | 156166A-02 (rev A or higher) | SHIELDED R SERIES HIGH SPEED DIGITAL CABLE, 2M |
| 156390-03 | 194210E-22L | USB 3 Cable, 3 Meter, A Jackscrews to Micro B Jackscrews |
| 156391-03 | 156391A-03 | USB 3 Cable, 3 Meter, A To MICRO B Jackscrews |
| 156391-05 | 156391A-05 | USB 3 Cable, 5 Meter, A To MICRO B Jackscrews |
| 156866-01 | 156866A-01 | MINI DISPLAYPORT RETENTION ACCESSORY |
| 157230-0R5 | 157230A-0R5 | MINI DISPLAYPORT TO VGA ADAPTER, .5 M (0 TO 70 DEGREE CELSIUS) |
| 157231-0R5 | 157231A-0R5 | MINI DISPLAYPORT TO DVI ADAPTER, .5 M (0 TO 70 DEGREE CELSIUS) |
| 157232-01 | 157232A-01 | MINI DISPLAYPORT TO DISPLAYPORT CABLE, 1 M (-40 TO 85 DEGREE CELSIUS) |
| 157232-02 | 157232A-02 | MINI DISPLAYPORT TO DISPLAYPORT CABLE, 2 M (-40 TO 85 DEGREE CELSIUS) |
| 157232-0R5 | 157232A-0R5 | MINI DISPLAYPORT TO DISPLAYPORT CABLE, .5 M (-40 TO 85 DEGREE CELSIUS) |
| 157253-01 | 157253A-01 | PANEL MOUNTING KIT FOR 4-SLOT NI CRIO-9030/31/33/34 AND NI CDAQ-9132/34 SYSTEMS |
| 157254-01 | 157254A-01 | DIN RAIL MOUNTING KIT FOR 4-SLOT NI CRIO-9030/31/33/34 AND NI CDAQ-9132/34 SYSTEMS |
| 157267-01 | 157267A-01 | PANEL MOUNTING KIT FOR 8-SLOT NI CRIO-9035/36/38/39 AND NI CDAQ-9133/35 SYSTEMS |
| 157268-01 | 157268A-01 | DIN RAIL MOUNTING KIT FOR 8-SLOT NI CRIO-9035/36/38/39 AND NI CDAQ-9133/35 SYSTEMS |
| 157350-01 | 152678A-01 | SHIELDED CABLE FOR PXIE-4339 TO RACKMOUNT TERMINAL BLOCKS, 1 METER |
| 157543-020 | 157543A-020 | 20 PIECE,STANDOFF,M/F,4.5 HEX,M3X7.15MM,SS,NP |
| 157562-01 | 157562A-01 | STANDOFF ACCESSORY FOR NI 9683 |
| 157570-01 | 157570A-01 | POWER AND COMMUNICATION CABLE FOR AMULET DISPLAY |
| 157599-01 | 157599B-01 | SHC68-68-A2, 68-PIN MALE VHDCI TO 68-PIN FEMALE .050 SERIES D-TYPE, 1M CABLE |
| 157788-01 | 157788A-01 | USB CABLE WITH LOCKING SCREW FOR NI COMPACTRIO AND NI COMPACTDAQ CONTROLLERS, 1 M |
| 157867-01 | 157867B-01 | 9-PIN D-SUB MALE TO PIGTAIL I/O CABLE, 1 M |
| 157867-02 | 157867B-02 | 9-PIN D-SUB MALE TO PIGTAIL I/O CABLE, 2 M |
| 158293-01 | 158293A-01 | LEMO FEMALE TO PIGTAIL I/O CABLE, 1 M |
| 158293-02 | 158293A-02 | LEMO FEMALE TO PIGTAIL I/O CABLE, 2 M |
| 158533-01 | 158533A-01 | MODULE IMMOBILIZATION ACCESSORY FOR 8-SLOT COMPACTRIO AND COMPACTDAQ CONTROLLERS |
| 158533-02 | 158533B-02 | MODULE IMMOBILIZATION ACCESSORY FOR 8-SLOT CRIO-905X/906X/907X, NI-914X, AND CDAQ-918X |
| 158534-01 | 158534A-01 | MODULE IMMOBILIZATION ACCESSORY FOR 4-SLOT COMPACTRIO AND COMPACTDAQ CONTROLLERS |
| 180188-01 | 180188E-01 | Bracket, GPIB, EMI Shield |
| 181638-01 | 181638-01B | CONN,GPIB ADAPTER,TYPE XA |



| | | |
|-------------|------------------------------|---|
| 182009-02 | 182009D-02 | CABLE ASSY,GPIB,TYPE X5,2M,STD GPIB TO SINGLE END MALE |
| 182009-04 | 182009E-04 | CABLE ASSY,GPIB,TYPE X5,4M,STD GPIB TO SINGLE END MALE |
| 182238-01 | 182238B-01 (Rev B or higher) | RS232 NULL-MODEM CABLE, DB-9 FEMALE TO DB-9 FEMALE, 1M |
| 182238-04 | 182238C-04 | RS232 NULL-MODEM CABLE, DB-9 FEMALE TO DB-9 FEMALE, 4M |
| 182419-02 | 182419C-02 | Cable Assy, 2X68POS .050 Series D-Type, Shielded, Type SH6868,2M |
| 182482-01 | 182482C-01 | CABLE ASSY KIT,68-68,SCSI-II,IDC,TYPE R6868 |
| 182482-0R25 | 182482B-0R25 | R6868 Low-Cost Unshielded Ribbon Cable, 0.25M |
| 182671-01 | 182671E-01L | Conn Assy, SCXI-1349 |
| 182762-01 | 182762C-01 | Cable Assy,100 Pos .050 Series D-Type to 2X50 Pos, Type R1005050,1M |
| 182762-02 | 182762C-02 | Cable Assy,100 Pos .050 Series D-Type to 2X50 Pos, Type R1005050,2M |
| 182762-0R5 | 182762D-0R5 | Cable Assy,100 Pos .050 Series D-Type to 2X50 Pos, Type R1005050, 0.5M |
| 182766-01 | 182766A-01 | Conn,Adapter,GPIB Bulkhead,F-F,Type XC |
| 182770-01 | 182770A-01 | CONN,ADAPTER,GPIB REVERSE ENTRY EXTENDER,M-F,TYPE XF |
| 182845-01 | 182845C-01 | Cable Assy,Serial,10 POS Modular Plug to 9 POS DSUB Plug,Type S8,1M |
| 182845-02 | 182845C-02 | CABLE ASSY,SERIAL,10POS MODULAR PLUG TO 9POS DSUB PLUG,TYPE S8,2M |
| 182849-01 | 182849C-01 | CABLE ASSY,100 POS .050 SERIES D-TYPE TO 2 X 68POS,SHEILDED,TYPE SH1006868,1M |
| 182849-02 | 182849C-02 | CABLE ASSY,100 POS .050 SERIES D-TYPE TO 2 X 68POS,SHEILDED,TYPE SH1006868,2M |
| 182849-05 | 182849D-05 | CABLE ASSY,100 POS .050 SERIES D-TYPE TO 2 X 68POS,SHEILDED,TYPE SH1006868,5M |
| 182849-10 | 182849C-10 | CABLE ASSY,100 POS .050 SERIES D-TYPE TO 2 X 68POS,SHEILDED,TYPE SH1006868,10M |
| 183045-01 | 183045C-01 | RS232 STRAIGHT-THROUGH CABLE, DB-9 FEMALE TO DB-9 MALE,1M |
| 183045-02 | 183045C-02 | RS232 STRAIGHT-THROUGH CABLE, DB-9 FEMALE TO DB-9 MALE,2M |
| 183139-02 | 183139B-02 | 68F-50M DIO ADAPTER FOR 68-PIN DIGITAL BOARDS |
| 183146-01 | 183146B-01 | P4-BJ2 CABLE |
| 183283-01 | 183283B-01 | RS485 NULL-MODEM CABLE, DB-9 FEMALE TO DB-9 FEMALE, 1M |
| 183283-04 | 183283C-04 | RS485 NULL-MODEM CABLE, DB-9 FEMALE TO DB-9 FEMALE, 4M |
| 183285-01 | 183285C-01 | X13 GPIB CABLE,MICRO D25 TO SHIELDED CABLE/STANDARD CONNECTOR,1M |
| 183285-02 | 183285C-02 | X13 GPIB CABLE,MICRO D25 TO SHIELDED CABLE/STANDARD CONNECTOR,2M |
| 183432-01 | 183432C-01 | Cable Assy, Type SH6868-D1,1M |
| 183432-02 | 183432C-02 | Cable Assy, Type SH6868-D1,2M |
| 183432-05 | 183432C-05 | Cable Assy, Type SH6868-D1,5M |
| 183432-0R4 | 183432C-0R4 | CABLE ASSY,2X68-POS.050 SERIES D-TYPE,SHEILDED,TYPE SH68-68-D1,0.4M |
| 184125-02 | 192256A-02 | USB Cable, 2 Meter |
| 184428-01 | 184428B-01 | CABLE ASSY, SERIAL,10 POS ISOLATED MODULAR PLUG TO 9 POS DSUB PLUG, 1METER |
| 184483-01 | 184483B-01 | Blank Connector Panel for CA-1000 Configurable Signal Conditioning Enclosure |
| 184698-01 | 184698D-01 | P2 PROBE SET |
| 184721-01 | 184721B-01 | Strain Relief Connector Panel for CA-1000 Signal Conditioning Enclosure |
| 184736-01 | 184736B-01 | Mini-Thermocouple Type J Connector Panel, CA-1000 |
| 184737-01 | 184737B-01 | BNC Connector Panel, CA-1000 DAQ Accessory Enclosure |
| 184738-01 | 184738B-01 | 9-PIN D-SUB Connector Panel for CA-1000 Configurable Signal Conditioning Enclosure |
| 184738-02 | 184738B-02 | Dual 9-PIN D-SUB Connector Panel for CA-1000 Configurable Signal Conditioning Enclosure |
| 184738-03 | 184738B-03 | 9-PIN (Female), D-SUB Connector Panel for CA-1000 |
| 184738-04 | 184738B-04 | Dual 9-PIN (Female), D-SUB Connector Panel for CA-1000 |
| 184748-01 | 184748B-01 | CABLE ,SHC50-68, DIGITAL CABLE, 1M |
| 184749-01 | 199006B-01 | Cable, Type SH68-68-EP, Shielded Cable,1 Meter |
| 184749-02 | 199006B-02 | Cable, Type SH68-68-EP, Shielded Cable,2 Meter |



| | | |
|-------------|--------------------------------|--|
| 184749-05 | 199006B-05 | Cable, Type SH68-68-EP, Shielded Cable,5 Meter |
| 184749-10 | 199006B-10 | Cable, Type SH68-68-EP, Shielded Cable, 10 Meter |
| 184931-0R5 | 184931B-0R5 | DIGITAL MULTIMETER TRIGGER CABLE, 9 PIN DIN TO 2 BNC, 0.5 M |
| 185095-01 | 185095D-01 | Cable Assy, 2X 100-POS 0.050 Series D-Type, Shielded, FlexMotion, type SH100-100-Flex, 1M |
| 185095-02 | 185095D-02 | Cable Assy, 2X 100-POS 0.050 Series D-Type, Shielded, FlexMotion, type SH100-100-Flex, 2M |
| 185196-02 | 185196C-02 | CABLE ASSY, 68 POS SCSI TO EIGHT 9 PIN D-SUB, 2M |
| 185262-01 | 185262C-01 | CABLE ASSY, 2 X 68-POS .050 SERIES D-TYPE SHIELDED, TYPE SH68-68-S, 1 METER |
| 185334-01 | 185334D-01 | Panel Kit, TBX Cable Adapter for SCXI |
| 185376-01 | 185376B-01 | Four-LED Panelette Assembly, CA-1000 DAQ Accessory Enclosure |
| 185378-01 | 185378B-01 | Dual Toggle Switch Panelette Assembly, CA-1000 DAQ Accessory Enclosure |
| 185505-01 | 185505B-01 | Panelette, SMB, Assembly, DAQ Accessory Enclosure (Pizza Box) |
| 185692-01 | 185692C-01 (rev C or higher) | CABLE ASSY KIT, TYPE BAN-BARE, 1 METER |
| 185797-02 | 185797A-02 | Cable Assy,IEEE 1394,400MBPS,Non-Latching,2M |
| 186380-02 | 186380C-02 (Rev C or higher) | KIT, CABLE ASSY, 2 X 68-POS VHDCI OFFSET, TYPE SHC68-C68-S, 2 METER |
| 186380-0R5 | 186380-0R5 | KIT, CABLE ASSY, 2 X 68-POS VHDCI OFFSET, TYPE SHC68-C68-S, 0.5 METER |
| 186381-01 | 186381D-01 | SH68-C68-S, 68 PON VHDCI TO 68 PIN 0.05 SERIES D-TYPE, 1 M |
| 186381-02 | 186381G-02 | SH68-C68-S, 68 PIN VHDCI TO 68 PIN 0.05 SERIES D-TYPE, 2 M |
| 186405-01 | 186405B-01 | Banana Jack Panel, CA-1000 DAQ Accessory Enclosure |
| 186838-02 | 1192061C-02 | SHC68-68-EP SHIELDED CABLE, 68-POSITION.050 SERIES D-TYPE TO 68-POS VHDCI OFFSET, 2 M |
| 187051-01 | 187051B-01 | CABLE ASSY,2X68POS .050 SERIES D-TYPE,SINGLE RT ANGLE BACKSHELL,TYPE SH68-68R1-EP,1M |
| 187106-01 | 187106A-01 | Torque Wrench for SMA Connectors (1 NM) for Individual Sale |
| 187243-01 | 187243B-01 | Panel Mount Kit for SC-2345 OR CA-1000 |
| 187252-0R25 | 187252B-0R25 (rev B or higher) | RC68-68 RIBBON CABLE, 68 D-TYPE TO 68 VHDCI OFFSET, .25 M |
| 187252-0R5 | 187252C-0R5 | RC68-68 RIBBON CABLE, 68 D-TYPE TO 68 VHDCI OFFSET, .5 M |
| 187322-02 | 187322C-01 | RACK MOUNT FOR GPIB-ENET/100/1000, ENET-232/485, USB-232/485 |
| 187375-01 | 187375B-01 | CABLE ASSY, ETHERNET, TYPE E, CROSSOVER, 8POS, CAT5, 1M |
| 187375-05 | 187375B-05 | CABLE ASSY, ETHERNET, TYPE E, CROSSOVER, 8POS, CAT5, 5M |
| 187375-10 | 187375B-10 | CABLE ASSY, ETHERNET, TYPE E CROSSOVER, 8POS, CAT5, 10M |
| 187407-01 | 187407C-01 | Strain Relief Kit For MID-76XX Series Motor Drive |
| 187539-01 | 187539B-01 (rev B or higher) | M 2.5 SCREWLOCK FOR OEM |
| 187591-01 | 187591B-01 | Female 2-PIN MIL-C-26482 (Series 1), MS3112, Size 8 |
| 187804-01 | 187804C-01 | Cable Assy, IMAQ-DSHC68-04-1 Vision Products |
| 187949-01 | 187949B-01 | Accessory Hardware, Jacksocket Kit |
| 187949-10 | 187949B-01 | 10 Piece Accessory Hardware, Jacksocket Kit |
| 188143-01 | 188143D-01 | SHC68-C68-D3 SHIELDED CABLE, 1 M |
| 188859-01 | 188859A-01 | SMB 200 Cable, SMB Plug to SMB Plug Coax, 50 Ohm, 1M |
| 189041-02 | 189041D-02 | Cable Assy, 68-Position VHDCI Offset, Type SHC68-NT-S, Open Ended OEM, 2M |
| 189174-10 | 189174A-10 | Ethernet Cable Assy, Shielded, 8 Position, CAT 5, 10 M |
| 189588-01 | 189588C-01 | SHC68-68-RMIO CABLE, 68-POS .50 SERIES D-TYPE TO 68-POS VHDCI OFFSET, 1M |
| 189588-02 | 189588C-02 | SHC68-68-RMIO CABLE, 68-POS .50 SERIES D-TYPE TO 68-POS VHDCI OFFSET, 2M |
| 189588-0R5 | 189588C-0R5 | SHC68-68-RMIO Cable, 68-Pos .50 Series D-Type to 68-Pos VHDCI Offset, 0.5M OEM for Nanonis |
| 190233-0R5 | 190233E-0R5 | SH68M-68M-EPM SHIELDED CABLE, 68 PIN VHDCI TO 68 PIN VHDCI, 0.5 M |
| 190233-01 | 190233D-01 | SHC68-C68-EPM SHIELDED CABLE, 68-POS VHDCI OFFSET TO 68-POS VHDCI OFFSET, 1M |
| 190412-07 | 190412B-07 | NI 5644R MIMO Flexible Cable Kit (Cables for RX & TX LOS) Qty 2 |



| | | |
|------------|------------------------------|---|
| 190654-01 | 190654B-01 | Cable,10 POS Combicon -DB25M, 1 Meter |
| 190654-02 | 190654B-02 | Cable,10 POS Combicon -DB25M, 2 Meter |
| 190656-01 | 190656B-01 | Cable,10 POS Combicon -Pigtail, 1 Meter |
| 190656-02 | 190656B-02 | Cable,10 POS Combicon-Pigtail, 2 Meter |
| 190668-03 | 190668C-03 | SHIELDED CABLE FOR SC EXPRESS 300V BANK ISOLATION, 3 METER |
| 190846-01 | 190846B-01 | RF CABLES (SMA TO SMB) FOR PXI-5670 PXI-5671, OR PXI-5610 |
| 190911-04 | 190911B-04 | KIT, CABLE ASSEMBLY, DB25M-PIGTAIL, 4M |
| 190912-04 | 190912B-04 | KIT, CABLE ASSEMBLY, DB15M-PIGTAIL, 4M |
| 190913-04 | 190913B-04 | KIT, CABLE ASSEMBLY, DB9M-PIGTAIL, 4M |
| 191006-01 | 191006A-01 | CABLE ASSEMBLY, PCMCIA-CAN, SERIES 2, HS/HS |
| 191667-01 | 191667A-01 | SHC68-68-RDIO Cable, 68-Pos .50 Series D-Type to 68-Pos VHDCI Offset, 1M |
| 191667-0R5 | 191667A-0R5 | SHC68-68-RDIO Cable, 68-POS .50 Series D-Type to 68-POS VHDCI Offset, 0.5M OEM for NANONIS |
| 191945-01 | 191945C-01 | SHC68-68, TWISTED PAIR CABLE WITH BASIC SHIELDING, 1 M |
| 191945-02 | 191945C-02 | SHC68-68, TWISTED PAIR CABLE WITH BASIC SHIELDING, 2 M |
| 192017-02 | 192017A-02 | NI CAN SINGLE TERMINATION, HIGH-SPEED/FD CABLE, 2 M |
| 192061-01 | 192061B-01 | SHC68-68-EPM Shielded Cable, 68-Pos.050 Series D-Type to 68-Pos VHDCI Offset, 1M |
| 192061-02 | 192061B-02 | SHC68-68-EPM Shielded Cable, 68-Pos.050 Series D-Type to 68-Pos VHDCI Offset, 2M |
| 192061-05 | 192061B-05 | SHC68-68-EPM Shielded Cable, 68-Pos.050 Series D-Type to 68-Pos VHDCI Offset, 5M |
| 192061-0R5 | 192061B-0R5 | SHC68-68-EPM Shielded Cable, 68-Pos.050 Series D-Type to 68-Pos VHDCI Offset, 0.5M |
| 192061-10 | 192061B-10 | SHC68-68-EPM Shielded Cable, 68-Pos.050 Series D-Type to 68-Pos VHDCI Offset, 10M |
| 192190-01 | 192190A-01 | RJ50 10-PIN MODULAR PLUG TO DB-9 (MALE), 1 M |
| 192288-0R3 | 192288B-0R3 | SHC68-68M-EPM SHIELDED CABLE, MALE 68-POS .050 SERIES D-TYPE TO 68-POS VHDCI OFFSET, 0.3M |
| 192524-01 | 192524D-01 | Expresscard Strain Relief Accessory for PXI Embedded Controllers |
| 192568-01 | 192568A-01 | SH25F-25M-1 25-PIN FEMALE TO MALE SHIELDED I/O CABLE, TWISTED PAIRS, HIGH CURRENT CAPACITY, 1 M |
| 192568-02 | 192568A-02 (rev A or higher) | SH25F-25M-2 25-PIN FEMALE TO MALE SHIELDED I/O CABLE, TWISTED PAIRS, HIGH CURRENT CAPACITY, 2 M |
| 192681-1R5 | 192681B-1R5 | SHC68-H1X38 HIGH-SPEED DIGITAL FLYING-LEADS CABLE ACCESSORY, 1 |
| 192692-01 | 192692A-01 | NI 9939 BACKSHELL FOR 16-POSITION CONNECTOR BLOCK (Qty 1) |
| 192795-0R2 | 192795A-0R2 | CABLE ASSY, TYPE HV6-BAN4, 0.2M |
| 193128-01 | 193128B-01 (rev B or higher) | NI CAN CABLE, NO TERM, HIGH-SPEED/LOW-SPEED, D-SUB 9-PIN F, 1M |
| 193128-02 | 193128B-02 (rev B or higher) | NI CAN CABLE, NO TERM, HIGH-SPEED/LOW-SPEED, D-SUB 9-PIN F, 2M |
| 193737-01 | 193737A-01 | DB37M-DB37F-EP, 37-PIN SHIELDED CABLE FOR 4 ANALOG INPUTS, 4 ANALOG OUTPUTS AND 10 DIGITAL I/O BOARDS |
| 193942-02 | 193942A-02 | SAEJ1962M-DE9F CAN OBD-II Cable, SAE J1962 to D-SUB 9-POS F, |
| 194096-01 | 194096A-01 | IC Grabber Clips for High-Speed Digital Flying-Leads Cable, Set of 10 |
| 194123-01 | 194123A-01 | MFIT-Pigtail Cable Assy, 14-Pin Digital I/O Cable for TB-2708/2709, 1M |
| 194612-02 | 194612B-02 | RJ50 Cable, 10-pin Modular Plug to 10-pin Modular Plug, 2M (Qty 4) |
| 194612-10 | 194612B-10 | RJ50 Cable, 10-PIN Modular Plug to 10-PIN Modular Plug, 10M |
| 194738-01 | 194738B-01 | NI 9944 QUARTER BRIDGE COMPLETION ACCESSORY (120 OHM, QTY 4) |
| 194739-01 | 194739B-01 | NI 9945 QUARTER BRIDGE COMPLETION ACCESSORY (350 OHM, QTY 4) |
| 194881-01 | 194881B-01 | NI 9957 Cartridge Die Cast Assembly (Qty 100) |
| 194906-01 | 194906A-01 | RACK-MOUNT KIT, SINGLE/DUAL, FOR EXTERNAL INSTRUMENT CONTROLLER/ISOLATOR |
| 195547-01 | 195547A-01 | Extra Mounting Screws M4 X 17 (Qty 10) |
| 195712-01 | 195712A-01 | NI WSN-3292, Replacement I/O Glands for WSN-3291. Includes 2 I/O Glands, 4 Gland Inserts & 2 Plugs |
| 195738-01 | 195738A-01 | NI WSN-3293, Replacement I/O Glands for WSN-3291. Includes 2 each of 5 Different Size Gland Inserts |



| | | |
|-------------|------------------------------|---|
| 195846-01 | 195846A-01L | 653X Cable Adapter, 68-PIN D-Type to 68-PIN VHDCI Adapter with Screw Terminals for PFI Line Routing |
| 195949-01 | 195949A-01 | C68-68-D4 Unshielded Cable for High-Speed Digital I/O, 2x 68-Position VHDCI Offset, 1M |
| 195950-02 | 195950A-02 | RJ50 Cable, 10-pin Modular Plug to Pigtail Wires, 2M (Qty 4) |
| 195950-10 | 195950A-10 | RJ50 Cable, 10-pin Modular Plug to Pigtail Wires, 10M (Qty 4) |
| 196236-1R5 | 196236A-1R5 | SHB12X-H3X24 Differential Flying-Lead / Logic Analyzer Cable for High-Speed Digital I/O, 1.5 M |
| 196275-01 | 196275A-01 | SHC68-C68-D4 Shielded Single-Ended Cable for High-Speed Digital I/O, 1 M |
| 196283-04 | 196283A-04 | Cable Assy IEEE 1394B to IEEE 1394B, 4 M |
| 196375-01 | 196375A-01 | NI 9971 Backshell for 2-Position Connector Block (QTY 4) |
| 196648-05 | 196648A-05 | Cable M12 , 2-PIN Female Connector to Pigtail, 5M |
| 196720-01 | 196720A-01 (rev A or higher) | NI 9972 BACKSHELL FOR 6-POSITION CONNECTOR BLOCK (QTY 4) |
| 196739-01 | 763086-01 | NI 9976 2-POSITION SCREW TERMINAL CONNECTOR BLOCK (QTY 10) |
| 196741-01 | 762679-01 | NI 9975 16-POSITION SCREW TERMINAL CONNECTOR BLOCK (QTY 2) |
| 196809-01 | 196809B-01 | NI 9949 RJ-50(FEMALE) TO SCREW TERMINAL ADAPTOR |
| 196917-01 | 196917B-01L | NI 9977 C Series Filler Module for Empty Slot |
| 196917-51 | 196917B-51L | NI 9977 C Series Filler Module for Empty Slot, RED MODULE (OEM) |
| 197211-01 | 197211A-01 | Mini-75 Ohm SMB Plug to Mini-75 Ohm SMB Plug, 1.0M |
| 197211-0R3 | 197211-0R3 | Mini-75 Ohm SMB Plug to Mini-75 Ohm SMB Plug, 0.3M |
| 197545-01 | 197545A-01 | Serial Cable - 68-POS VHDCI to DB-9M, 8-Port RS-232, 1M |
| 197546-01 | 197546E-01 | CABLE ASSY, 68 POS VHDCI CONN TO EIGHT 9 POS D-SUB, RS 485, 1M |
| 197549-4R5 | 197549A-4R5 | Cable Assy,1394B Jackscrew To Standard 1394B,Black,4.5 M |
| 197991-01 | 197991A-01 | NI 9980 10-Position Spring Terminal |
| 198141-2R5 | 198141A-2R5 | D-Sub to D-Sub Cable For P70530 & P70360 Stepper Drives |
| 198151-2R5 | 198151A-2R5 | D-Sub to Leads Cable For P70530 & P70360 Stepper Drives |
| 198159-01 | 198159A-01 | PC-MF4-PT Power Cable C Series Microfit Female to Pigtail, .35M |
| 198506-01 | 198506D-01 | USB Cable With Locking Screw, 1 M |
| 198588-01 | 198588A-01 | LVDS Flying Lead Extension Wires, Socket to Pin, 3.5 Inches, Set of 25 |
| 199006-01 | 199006B-01 | Cable, Type SH68-68-EPM, Shielded Cable,1 Meter (Direct Replacement for SH68-68-EP) |
| 199006-02 | 199006B-02 | Cable, Type SH68-68-EPM, Shielded Cable,2 Meter (Direct Replacement for SH68-68-EP) |
| 199006-05 | 199006B-05 | Cable, Type SH68-68-EPM, Shielded Cable,5 Meter (Direct Replacement for SH68-68-EP) |
| 199006-0R25 | 199006B-0R25 | Cable, Type SH68-68-EPM, Shielded Cable,.25 Meter (Direct Replacement for SH68-68-EP) |
| 199006-0R35 | 199006B-0R35 | Cable, Type SH68-68-EPM, Shielded Cable,.35 Meter (Direct Replacement for SH68-68-EP) |
| 199006-0R5 | 199006B-0R5 | Cable, Type SH68-68-EPM, Shielded Cable,.5 Meter (Direct Replacement for SH68-68-EP) |
| 199006-10 | 199006B-10 | Cable, Type SH68-68-EPM, Shielded Cable, 10 Meter (Direct Replacement for SH68-68-EP) |
| 199101-01 | 199101A-01 | Jumpers, Red-Black Twisted Pairs, 3.5 Inches, 10 PCS |
| 199198-01 | 199198C-01 | NI PXI Slot Blocker, Set of 5 |
| 199254-01 | 199254A-01 | SH37F-TAJIMI-1M Cable |
| 199254-10 | 199254A-10 | SH37F-TAJIMI-10M Cable |
| 199429-01 | 199429A-01 | Side Mounting Kit for NI PS-15 |
| 199430-01 | 199430A-01 | Side Mounting Kit for NI PS-16 |
| 199431-01 | 199431A-01 | Side Mounting Kit for NI PS-17 |
| 199432-01 | 199432A-01 | Panel Mounting Kit for NI PS-15/16/17 |
| 199566-02 | 199566A-02 | Cable Assembly, USB-8486 9 Pin Femal DSUB, 2M |
| 199744-02 | 199744A-02 | Cable, Power Over Camera Link(POCL), MDR to MDR, 2M |
| 199744-05 | 199744A-05 | Power Over Camera Link Cable (POCL), MDR to MDR, 5M |
| 199745-05 | 199744A-05 | Power Over Camera Link Cable (POCL), MDR to SDR, 5M |



| | | |
|-------------|------------------------------|---|
| 199746-05 | 199746A-05 | Power Over Camera Link Cable (POCL), SDR to SDR, 5M |
| 745557-03 | 747038-03 | Perforated DIN-Rail Mounting, 66cm |
| 745687-K030 | 746067-01 | K-TYPE THERMOCOUPLE WIRE(FIBERGLASS - 900 DEGREES F) 30 METER |
| 761000-01 | 763274-01 | REPLACEMENT P-1 DMM STANDARD PROBE SET, BANANA PLUGS |
| 763000-01 | 763864-01 | POWER CORD,AC,U.S.,120VAC,2.3 METERS |
| 763061-005 | 763507B- 0R5 | CABLE ASSY,TYPE X2, 0.5M |
| 763061-01 | 763507B-01 | CABLE ASSY,TYPE X2,1M |
| 763061-02 | 763507B-02 | CABLE ASSY,TYPE X2,2M |
| 763061-03 | 763507B-04 | CABLE ASSY,TYPE X2,4M |
| 763061-04 | 763507B-08 | CABLE ASSY,TYPE X2,8M |
| 763061-10 | 763507-10 | CABLE ASSY,TYPE X2,10M |
| 763064-01 | 763865-01 | POWER CORD,240V,10A,U.K. |
| 763065-01 | 763881-01 | POWER CORD,220V,10A,SWISS |
| 763067-01 | 763867-01 | POWER CORD,240V,10A,EURO,RTANG |
| 763389-01 | 199905A-0R61 | SMB100 SMB PLUG TO BNC JACK,COAX,50 OHM,2FT |
| 763427-30 | 763876-30 | Cable Assy, MXI-3 Copper Cable, 30M |
| 763431-05 | 763877-05 | Cable Assy, MXI-3 Copper Cable, 5M |
| 763431-10 | 763877-10 | Cable Assy, MXI-3 Copper Cable, 10M |
| 763443-01 | 763878-01 | SMA Male Plug X SMA Male Plug (MAXI-FLEX) 5 Inches Long |
| 763444-01 | 763879-01 | SMA Male Plug X SMA Male Plug (MAXI-FLEX) 15 Inches Long |
| 763634-01 | 769524-01 | POWER CORD,125V,15A,JAPAN |
| 776249-02 | 180732E-02 | RTSI BUS CABLES FOR 2 PCI OR AT/ISA DEVICES |
| 776249-03 | 180732E-03 | RTSI BUS CABLES FOR 3 PCI OR AT/ISA DEVICES |
| 776249-04 | 180732E-04 | RTSI BUS CABLES FOR 4 PCI OR AT/ISA DEVICES |
| 776249-05 | 180732E-0 | RTSI BUS CABLES FOR 5 PCI OR AT/ISA DEVICES |
| 776572-80 | 181710F-01 | SCXI-1180 (FEEDTHROUGH PANEL) |
| 776572-81K | 181385D-01 | SCXI-1181K Module Components Kit |
| | 181385D-02 | |
| | 184799D-01 | |
| | 181596F-01 | |
| 776576-60 | 181592G-01 | SCXI-1360 (Front Filler Panel) |
| 776576-61 | 181625D-01 | SCXI-1361 (Rear Filler Panel) |
| 776577-70 | 182598D-01 | SCXI-1370 Rack Mount Kit for SCXI-1001 AND PXI-1050 |
| | 741223-01 | |
| | 741802-01 | |
| | 741510-01 | |
| 776577-74 | 182650B-01 (rev B or higher) | SCXI-1374 HANDLE KIT FOR PXI-1010 |
| 776582-01 | 712060-01 | SCXI Process Current Res Kit |
| 776832-01 | 187539C-01 | 68-PIN MATING CONN/SHELL |
| 776990-01 | 182788E-01L | SCB-100 SHIELDED CONNECTOR BLK |
| 777101-01 | 182943C-01L | CB-50LP CONNECTOR BLOCK W/O CABLE |
| 777141-01 | 183420C-01L | TBX-68 CONNECTOR BLOCK |
| 777145-01 | 183030D-01L | CB-68LP CONNECTOR BLOCK |
| 777145-02 | 184700D-01L | CB-68LPR I/O CONNECTOR BLOCK |
| 777164-02 | 182802A-002 | MXI-2 TYPE M2,2M |



| | | |
|-----------|-------------------------------|--|
| 777164-04 | 182802A-004 | MXI-2 TYPE M2,4M |
| 777164-06 | 182802A-006 | MXI-2 TYPE M2,6M |
| 777165-01 | 182803A-001 | MXI-2 TYPE M3,1M |
| 777165-02 | 182803A-002 | MXI-2 TYPE M3,2M |
| 777165-04 | 182803A-004 | MXI-2 TYPE M3,4M |
| 777180-01 | 711760-01 | Quarter-Bridge Completion Resistor Pack, 120 OHM, 8 CT. |
| 777180-02 | 711761-01 | Quarter-Bridge Completion Resistor Pack, 350 OHM, 8 CT |
| 777296-01 | 711835-01 | FERRITE FOR RIBBON CABLES |
| 777297-01 | 711627-01 | EMI Suppression Ferrite 13.4 mm |
| 777466-01 | 711856-01 | Ferrite for IMAQ BNC Cable |
| 777566-03 | 763860-01 | RS232 Cable, 9Pin DSub, 3M |
| 777600-01 | 187539C-01 | 68-POS Right Angle PWB Mounting |
| | 760809-01 | |
| | 740238-01 | |
| 777601-01 | 187539C-01 | 68-Pin Vertical PWB Connector |
| | 740238-01 | |
| | 760811-01 | |
| 777664-01 | 185097C-01 | CA-1000 Enclosure Kit |
| | 185257A-01 | |
| 777665-01 | 184887B-01 | Rack-Mount Kit for SC-2345 OR CA-1000 |
| 777687-00 | 185161B-01L | SCXI-1300 LOW-VOLTAGE SCREW TERMINAL BLOCK, CAST |
| 777687-02 | 185163B-01L | SCXI-1302 FEEDTHROUGH TERMINAL BLOCK,CAST |
| 777687-10 | 185334D-01 | SCXI-1310 96-Pin Connector and Shell Assy |
| | 760692-01 | |
| | 760694-01 | |
| 777763-01 | 186012C-01 | PXI-1000 Rack Mount 6U Front Panel Adapter, Converts 3U Modules for 6U Chassis |
| 777779-01 | 761226-01 | 100-PIN VERTICAL PWB CONNECTOR |
| | 745444-01 | |
| 777812-01 | 182762D-01 | CB-100 I/O KIT, DIN RAIL/PANEL/DESKTOP, 50-PIN CB'S, R1005050 CABLE, 1 M |
| | 760405-01 | |
| 777972-01 | 186889A-01 | DIN RAIL/WALL MOUNTING KIT FOR UMI-FLEX-6 AND BNC BOXES |
| 778134-01 | 761378-01 | MID Spare Connector Kit |
| | 761375-01 | |
| | 761376-01 | |
| | 761377-01 | |
| 778242-01 | 187310B-01L | TB-2715, PXI Terminal Block for Digital I/O |
| 778353-01 | 765462-01 | SMA 50 OHM Termination Plug |
| 778414-01 | 763405-01 | SMB110, SMB FEMALE TO BNC MALE COAX CABLE,1M, QUANTITY 8 |
| 778415-01 | 199905A-OR61 | SMB100 SMB FEMALE TO BNC FEMALE COAX CABLE,50 OHM,2 FT, QUANTITY 8 |
| 778556-01 | 188457G-02L (rev G or higher) | UMI-7772 2 AXIS UNIVERAL MOTION INTERFACE, DSUB CONNECTORS |
| 778558-01 | 188457G-01L (rev G or higher) | UMI-7774 4 AXIS UNIVERAL MOTION INTERFACE, DSUB CONNECTORS |
| 778616-01 | 189048B-01 | CFP-PM-H COMPACT FIELDPOINT PANEL MOUNT KIT, HORIZONTAL |
| 778620-04 | 188843B-01 | SH37F-P-4 37-PIN FEMALE TO PIGTAILS SHIELDED I/O |
| 778621-01 | 188841B-01 | SH37F-37M-1 37-PIN FEMALE TO MALE SHIELDED I/O CABLE, 1 M |
| 778621-02 | 188841B-02 | SH37F-37M-2 37-PIN FEMALE TO MALE SHIELDED I/O CABLE, 2 M |



| | | |
|------------|-------------|---|
| 778643-01 | 189361B-01 | NI PXI 8-SLOT FRONT RACK MOUNT KIT |
| 778643-02 | 189362B-01 | Kit, Rack Mount, Rear, PXI Chassis, 8-Slot |
| 778644-01 | 190274B-01 | NI 14/18-SLOT CHASSIS FRONT RACK MOUNT KIT |
| 778644-02 | 190303B-01 | NI 14/18-SLOT CHASSIS REAR RACK MOUNT KIT |
| 778646-01 | 189864B-01 | PXI Filler Panel Kit for 18 Slot Chassis |
| 778679-01 | 189328B-01 | PXI Chassis Filler Panel Kit |
| 778688-01 | 189085B-01 | CFP-PM-V COMPACT FIELDPOINT PANEL MOUNT KIT, VERTICAL |
| 778700-01 | 189437A-01 | PXI EMC FILLER PANEL KIT, QTY 6 |
| 778709-01 | 189085B-01 | UMI-7774, Panel Mount, Vertical |
| 778710-01 | 188742B-01 | DIN Rail Mount for UMI-7772/4 |
| 778711-01 | 189084B-01 | Panel Mount Horizontal for UMI-7772/4 |
| 778712-01 | 189331B-01 | UMI-7774, Rack Mount |
| 778713-02 | 763608-01 | USB TO DUAL PS2 KEYBOARD/MOUSE ADAPTER CABLE |
| 778717-66 | 188835C-01L | NI TB-2666 TERMINAL BLOCK |
| 778796-01 | 196978A-4R5 | Cable Assy, 1394 Jackscrews to Standard 1394 , 4.5M |
| 778827-01 | 150205A-01 | SMB112, DOUBLE SHIELDED SMB BNC MALE COAX CABLE, 50 OHM, 1M |
| 778831-01 | 761930-01 | MCX 50 OHM Termination Plug |
| 788624-01 | 137802A-01L | NI SLSC-12001 12-SLOT CHASSIS, 24 VDC, BACKPLANE ONLY |
| 778914-01 | 765368-01 | Connector, .8MM Champ, 68 POS, VHDCI, Through Hole |
| 778931-02 | 190945B-01 | Rear Rack Mount Kit for PXI-1052 |
| 778933-01 | 190961B-01 | PXI Filler Panel Kit for 4 & 6-Slot Chassis |
| 778948-01 | 191122B-01 | PXI-103X and PXIE-107X Rack Mount Kit |
| 778949-01 | 191124A-01 | PXI-103X Side Handle and Rubber Feet Kit |
| 778959-10 | 151693B-010 | MXI-EXPRESS CABLE, GEN 1 X1, FIBER OPTIC, 10M |
| 778959-200 | 151693A-200 | MXI-EXPRESS CABLE, GEN 1 X1, FIBER OPTIC, 200M |
| 778959-30 | 151693A-030 | MXI-EXPRESS CABLE, GEN 1 X1, FIBER OPTIC, 30M |
| 778962-01 | 762120-01 | Extra Cable Connectors for NI TB-2630 |
| 779016-01 | 779016A-01 | NI 9935 15 Pin D-Sub Connector Kit |
| 779017-01 | 779017B-01 | NI 9932 BACKSHELL WITH 10-POSITION CONNECTOR BLOCK (QTY 1) |
| 779018-01 | 194672B-01 | NI 9915 DIN Rail Mounting Kit For 8-Slot Chassis |
| 779019-01 | 194673C-01 | NI 9912 DIN Rail Mounting Kit for 4-Slot COMPACTRIO Chassis |
| 779019-01 | 157143A-01 | NI 9912 DIN RAIL MOUNT KIT FOR 4-SLOT CRIO-910X/911X/906X/907X AND CDAQ-917X/918X |
| | 158371A-01 | |
| 779020-03 | 189964B-01 | CRIO-9951 INPUT/OUTPUT COMMUNICATION AND CONTROL (IOCC) MODULE DEVELOPMENT KIT FOR COMPACTRIO |
| 779038-01 | 191371B-02 | LFH200 CONNECTOR TO BARE WIRE SWITCH CABLE, 2 M |
| 779038-02 | 192004C-01 | LFH200 TO 4X50-PIN DSUB SWITCH CABLE (CH-COM TWISTED), 1M |
| 779038-03 | 192003B-01 | LFH200 TO 4X50-PIN DSUB SWITCH CABLE (CH-CH TWISTED), 1M |
| 779097-01 | 194032C-01 | NI 9904 Horizontal Panel Mounting Kit For 4-Slot Chassis |
| 779102-01 | 194019A-01 | NI 9910 Industrial Sliding Rack-Mount Kit For 4 or 8 Slot Compact RIO & Compact DAQ chassis |
| 779104-01 | 762284-01 | NI 9934 25 PIN D-SUB Connector Kit |
| | 762282-01 | |
| | 762283-01 | |
| 779105-01 | 761980-01 | NI 9936 10-Position Screw Terminal Connector Block (Qty 10) |
| 779106-01 | 761879-01 | NI 9937 4-POS Controller Power Supply Plugs (Qty 10) |
| 779133-01 | 189964A-01 | CRIO-9952 Module Shell, 10-POS Screw Terminal Slot, No LED Slot, w/PCB Connectors (Qty 10) |



| | | |
|-------------|---|--|
| 779134-01 | 189964B-01 191305A-01 | CRIO-9953 MODULE SHELL, NO CUT OUTS, W/PCB DSUB CONNECTOR TO CRIO CHASSIS (QUANT 10) |
| 779157-01 | 746404-01 | Connector, LVDS, Right Angle |
| 779175-02 | 770090-01 | 40GB (Or Greater) 2.5 IN PATA Ext Temp Blank HDD Spare/Replacement |
| 779175-03 | 770097-060 | 60 GB (OR GREATER) 2.5 IN SATA BLANK HDD SPARE/REPLACEMENT |
| 779175-04 | 770097-120 | 120 GB (Or Greater) 2.5 IN SATA Blank HDD Spare/Replacement |
| 779175-06 | 770097-250 | 250 GB (Or Greater) 2.5 IN SATA Blank HDD Spare/Replacement |
| 779175-07 | 770095-080 | 80 GB (Or Greater) 2.5 IN SATA Extended Temp, 24/7 Hard Drive Upgrade |
| 779175-08 | 747125-01 | 32 GB 2.5 IN SATA Solid State Hard Drive Upgrade |
| 779183-01 | 192387C-01L | TB-2706, PXI FRONT-MOUNT SCREW TERMINAL BLOCK FOR M SERIES DAQ |
| 779184-01 | 762285-01 | TB-37F-37SC 37-Pin Solder Cup Terminals, Shell W/Strain Relief |
| 779200-01 | 192026B-01 | PXI-1044 Filler Panel Kit, 7 Single, 1 Double, 1 Quadruple, W/Instructions |
| 779302-1024 | 693851-1024 695526-1024 | 1 GB DDR2 RAM for NI 8106, NI 8105, and NI 8104 Controllers |
| 779323-01 | 192533B-01L | SMA-2164 LVDS PROTOTYPING ACCESSORY |
| 779325-01 | 763592-01 | 16-PIN Row Expansion Cable for TB-264X |
| 779346-01 | 763612-01 763611-01 | Row & Column Cable Kit for NI TB-264X Terminal Blocks (1.5 M) |
| 779356-01 | 192916A-01 | Relay Replacement Kit for IM42GR Relays (QTY: 10) |
| 779371-01 | 191813C-01 762242-01 | NI USB-6008/6009 Accessories: 4 Connectors, 2 Labels, 1 Screwdriver |
| 779376-01 | 192345A-01 762242-01 | NI USB-6501 Accessories: 4 Connectors, 2 Labels, 1 Screwdriver |
| 779499-01 | 193138A-01 | Low-Leakage, Low-Thermal Connectivity Cable Kit |
| 779500-01 | 193355A-01 | MXI-Express/Expresscard MXI Cable, 1M |
| 779500-03 | 193355A-03 | MXI-Express/ExpressCard MXI Cable, 3M |
| 779500-07 | 193355A-07 | MXI-Express/ExpressCard MXI Cable, 7M |
| 779554-01 | 192941C-01L | TB-2709, PXI FRONT-MOUNT SMB TERMINAL BLOCK FOR PXI-6123 AND PXI-6133 S SERIES DAQ |
| 779567-01 | 746496-01 | NI 9940 Strain-relief & High-voltage Connector kit for 36-Position Connector |
| 779568-01 | 194589A-01 | NI 9941 Strain-relief & High-voltage Connector kit for 36-Position Connector (Use Only with NI 9206) |
| 779570-01 | 762745-01 762744-01 762743-01 | NI 9943 9-PIN Connector Kit With Strain Relief |
| 779571-01 | 765479-01 | NI 9946 4-POS NI 9505 Plugs (Qty 10) |
| 779581-01 | 762710-01 | 4x2 Header Receptacles for Digital Flying-Leads Cable, Set of 10 |
| 779611-01 | 185095D-02 (rev D or higher) 193615C-01L (rev C or higher) | MCA-7790Y, MOTION INTERFACE AND CABLE FOR CONNECTIVITY TO YASKAWA SERVO DRIVES |
| 779612-01 | 185095D-02 193609B-01L | MCA-7790M, MOTION INTERFACE AND CABLE FOR CONNECTIVITY TO MITSUBISHI SERVO DRIVES |
| 779613-01 | 185095D-02 193612B-01L | MCA-7790P, Motion Interface and Cable for Connectivity to Panasonic Servo Drives |
| 779674-01 | 762906-01 | SMA Plug (Female) to SMB Jack (Male) Adapter |
| 779689-01 | 740872-01 | DIN Rail Mounting Kit for DAQ and GPIB Devices |
| 779697-02 | 183882-02 | BNC Male (PLUG) To BNC Male (PLUG) Cables, 2M, 4 Pack |
| 779701-03 | 193355A-03 | NI PXIE-PCIE8361, X1 MXI-EXPRESS FOR PXI EXPRESS, 1 PORT PCIE, 3 M CABLE |



| | | |
|-------------|-------------|--|
| | 194402G-01L | |
| | 196115A-01 | |
| | 199042B-01L | |
| 779725-03 | 195994A-03 | X4 MXI-EXPRESS CABLE, 3 M |
| 779725-07 | 195994A-07 | X4 MXI-EXPRESS CABLE, 7 M |
| 779727-01 | 760814-01 | PSC-760 Power Connector for Alternate Power Supply |
| 779729-01 | 762478-01 | cFP-180x Power Supply Connector For Compact Fieldpoint |
| 779783-01 | 196418A-01 | 176-Pin Right Angle Female Connector for XX30 Switch Modules |
| 779806-01 | 195968B-01 | NI USB-621X Accessories: 4 Connectors, 1 Label, 1 Screwdriver |
| | 195967A-01 | |
| | 195969A-01 | |
| | 762242-01 | |
| 779807-01 | 195968B-01 | NI USB-621X Premium Accessories: 4 Connectors w/ Screw Flanges, |
| | 195967A-01 | |
| | 195969A-01 | |
| | 761862-01 | |
| 779937-01 | 194417B-01 | NI USB-6525 Accessories: 4 Connectors, 2 Labels, 1 Screwdriver |
| | 762242-01 | |
| 779956-01 | 194017A-01 | 62-Pin Female-to-Female Shielded DSUB Cable for NI PXI-2568 |
| 779980-01 | 746786-01 | CAMERA, BASLER SCA1390-17FM, IEEE 1394B, 1392X1040, 17 FPS |
| 779981-01 | 746787-01 | CAMERA, BASLER SCA1390-17GM, GIGE, 1392X1040, 17 FPS |
| 779982-01 | 746788-01 | CAMERA, BASLER SCA640-70FM, IEEE 1394B, 659X490, 70 FPS |
| 779983-01 | 746789-01 | CAMERA, BASLER SCA640-70GM, GIGE, 659X490, 70 FPS |
| 779984-01 | 763799-01 | Basler I/O Cable for IEEE 1394B Cameras |
| 779985-01 | 763799-01 | Basler I/O Cable for GIGE Cameras |
| | 763800-01 | |
| 779986-01 | 723244-01 | Basler Power Supply for GIGE Vision Cameras |
| 780009-01 | 196851B-01 | LFH160 TO 50-PIN D-SUB |
| 780009-02 | 196851B-02 | LFH160 TO 50-PIN D-SUB, 2M |
| 780031-2048 | 694972-2048 | 2 GB DDR2 RAM FOR NI VXIPC-882 CONTROLLERS |
| 780041-01 | 197864B-01L | NI CAN Breakout Box 7-Port for CAN, Devicenet, Canopen |
| 780216-01 | 780216A-01 | NI 9965 Backshell for 24-Pos Spring Terminal |
| 780221-01 | 746987-01 | 4x4 Back Light (Red), BL0404, Advanced Illumination |
| 780222-01 | 746986-01 | Ring Light (Red), RL1424, Advanced Illumination |
| 780223-01 | 746989-01 | Linear Array (Red), LL5806, Advanced Illumination |
| 780224-01 | 746988-01 | Spot Light (Red), SL2420, Advanced Illumination |
| 780251-01 | 198917B-01 | ENCODER,15T-01SA-1000-N5RHV-F00-CE,MOTOR MOUNT,0.25" THRU BORE,1000CPR,5V LINE DRIVER OUTPUT |
| 780252-01 | 198917B-01 | ENCODER,15T-14SA-1000-N5RHV-F00-CE,MOTOR MOUNT,8 MM THRU BORE,1000CPR,5V LINE DRIVER OUTPUT |
| 780284-01 | 763983-01 | NI SP200B 10:1 AND 1:1 SWITCHABLE PASSIVE OSCILLOSCOPE PROBE, 60 V |
| 780315-01 | 747070-01 | Rugged Carrying Case for Portable Instrumentation |
| 780327-03 | 195994A-03 | VXI-MXI-Express Trigger Cable, 3M |
| 780327-07 | 195994A-07 | VXI-MXI-Express Trigger Cable, 7M |
| 780398-01 | 747070-01 | PXI & PXIe Carrying Case for 4, 6, or 8-Slot chassis and/or NI PMA-1115 |
| 780446-2048 | 695289-2048 | 2 GB DDR2 RAM for NI 8108 Controller |
| 780446-4096 | 695289-4096 | 4 GB DDR2 RAM for PXI-8108 & PXI-8110 Controller |



| | | |
|-----------|--------------|---|
| 780487-01 | 747141-01 | Torque Screwdriver (100 NCM) |
| 780534-01 | 198506C-02 | Cable Assy, Locking USB, 2M |
| 780540-01 | 765551-01 | Ref Clk T Connector, SMA Female/Male/Female, 50Ohm |
| 780557-01 | 762898-01 | Combicon Connector Kit: 6-Pos, 2-Pos, Backshells |
| | 762897-01 | |
| | 762916-01 | |
| | 762915-01 | |
| 780566-02 | 190412B-04 | PXIe-5663/5663E MIMO Cable Kit |
| | 190434A-01 | |
| 780567-02 | 190412B-04 | PXIe-5673/5673E MIMO Cable Kit |
| | 190435A-02 | |
| 780571-01 | 190411A-01 | NI 9931 Motor Screw Terminal Accessory for NI 9505 |
| 780576-01 | 198506C-02 | Cable Assy, Locking USB, 2M, QTY 5 |
| 780679-01 | 189587C-01 | NI 9908 DIN Rail Mounting Kit for Stand Alone CRIO-9014 (REV G or Later) Controller |
| | 190703A-01 | |
| 780702-01 | 765252-01 | 2-Position Screw Terminal Kit for Power Supply Connection, Quantity 4 |
| 780711-01 | 198876A-02 | NI FLEXRIO Adapter Module Development Kit |
| | 193944A-01 | |
| 780716-01 | 190739A-01 | NI 9909 Panel Mounting Kit for Stand Alone CRIO-9014 (REV G or Later) Controller |
| | 190703A-01 | |
| 780868-01 | 763801-01 | DVI-I (Male) TO DVI-D (Female) & VGA (Female) Splitter |
| 780889-01 | 198998A-01 | 176-Pin Cable for the PXI-2530 |
| 780892-01 | 193944A-01 | NI FLEXRIO Windowed Adapter Module Enclosure (Qty 1) |
| 780892-10 | 193944A-01 | NI FLEXRIO Windowed Adapter Module Enclosure (Qty 10) |
| 780893-01 | 198876A-02 | NI FLEXRIO Blank Adapter Module Enclosure (Qty 1) |
| 780893-10 | 198876A-02 | NI FLEXRIO Blank Adapter Module Enclosure (Qty 10) |
| 780895-01 | 190487A-01 | RF Torque Screwdriver and SMA Driver Bit |
| 780910-01 | 746984-01 | Fan Replacement Kit for PXI-103X Chassis |
| 780965-01 | 196544A-01L | REQUIRES R&D APPROVAL: NI SBRIO-9691 MODULE STACK KIT FOR SBRIO-960X |
| 780966-01 | 196544A-01L | REQUIRES R&D APPROVAL: NI SBRIO-9692 MODULE STACK KIT FOR SBRIO-961X/3X/4X |
| 780982-01 | 190962B-03 | NI 9916 DIN RAIL KIT FOR 14-SLOT MXI-EXPRESS RIO CHASSIS AND CDAQ-9179 |
| 780999-01 | 194972A-01 | WSN 3280, WSN Node Panel Mount Kit with Node Locking Mechanism and Strain Relief for Wiring |
| 781013-01 | 196275A-0R55 | SHC68-C68-D4 Shielded Single-Ended Cable for High Speed Digital I/O Instruments, 0.5 Meter |
| 781017-03 | 762432-01 | CRIO-9951 Module Development Kit Base - Limited Use License |
| | 762183-01 | |
| | 761980-01 | |
| | 761979-01 | |
| | 760873-01 | |
| | 746037-01 | |
| | 740981-01 | |
| | 191721A-00 | |
| | 191720A-00 | |
| | 190122A-00 | |
| | 189964B-01 | |
| | 762432-01 | |
| | 762183-01 | |



| | | |
|-------------|-------------------------------|---|
| | 761980-01 | |
| | 761979-01 | |
| | 760873-01 | |
| | 746037-01 | |
| | 740981-01 | |
| | 191721A-00 | |
| | 191720A-00 | |
| | 190122A-00 | |
| | 189964B-01 | |
| 781070-01 | 747293-01 | SPARE 250 GB HARD-DRIVE FOR NI 8260 |
| 781073-01 | 199297A-01 | NI WSN-3281, WSN Node Magnetic Panel Mount Kit w/ Node Locking Mechanism and Strain Relief for Wiring |
| 781074-01 | 199326A-01 | NI WSN-3282: WSN DIN Rail Mounting Kit for Measurement Nodes or Ethernet Gateway |
| 781075-01 | 199337A-01 | NI WSN-3283, WSN Panel Mount Plate for Nodes or Ethernet Gateway |
| 781076-01 | 765593-01 | NI WSN-3284, Extra 18-Position Screw Terminal Connectors for NI WSN-3202 - 2 Top Entry, 2 Side Entry |
| | 765464-01 | |
| 781077-01 | 765593-01 | NI WSN-3285, Extra 18-Position Screw Terminal Connectors for NI WSN-3212 - 2 Top Entry, 2 Side Entry |
| | 765464-01 | |
| 781081-01 | 765630-01 | 25-PIN DSUB to Screw Terminal Block, DIN Rail Mount |
| 781090-01 | 195393B-01 | CABLE FOR PXI-2510 (160-PIN DIN TO 3 50-PIN D-SUB) |
| 781150-01 | 747438-01 | EXPRESSCARD TO GIGABIT ETHERNET ADAPTER (WINDOWS ONLY) |
| 781153-01 | 743148-01 | PXI 18-Slot Front Panel Protector |
| 781175-01 | 199968A-01 | Combicon Connector Kit (8-POS 5.08MM, Backshell) |
| 781202-01 | 763967-01 | 2M DVI-I TO DVI-I Monitor Cable For NI FPM-1019 Monitor |
| 781233-02 | 711849-01 | EMI Suppression Ferrite 10.2 mm |
| 781293-01 | 196275A-02 | SHC68-C68-D4 Shielded Single-Ended Cable for High SED Digital I/O Instruments, 2 Meter |
| 781362-01 | 199373B-0R55 | SHC68-C68-D5 Cable for NI 2515 HSDIO Signal Insertion 0.5M |
| 781414-01 | 747336-01 | LENS,8.5MM,COMPACT FIXED FOCAL LENGTH, EDMUND OPTICS |
| 781415-01 | 747337-01 | LENS,12MM,COMPACT FIXED FOCAL LENGTH, EDMUND OPTICS |
| 781416-01 | 747338-01 | LENS,16MM,COMPACT FIXED FOCAL LENGTH, EDMUND OPTICS |
| 781417-01 | 747339-01 | LENS,25MM,COMPACT FIXED FOCAL LENGTH, EDMUND OPTICS |
| 781418-01 | 747340-01 | LENS,35MM,COMPACT FIXED FOCAL LENGTH, EDMUND OPTICS |
| 781468-01 | 747702-01 | Battery Backup Module For HDD-8265 |
| 781503-01 | 150888A-01L | NI 9923 Front-Mount Terminal Block for 37-PIN D-SUB Modules |
| 781508-2048 | 696297-2048 | 2 GB DDR3 RAM for PXI-8109 Controller |
| 781514-01 | 150971A-01 | USB X SERIES MOUNTING KIT |
| | 150972A-01 | |
| 781515-01 | 150971A-01 | USB X SERIES MOUNTING KIT WITH DIN RAIL CLIP |
| | 150972A-01 | |
| | 194905A-01 | |
| 781516-01 | 199588A-02L | SMB-2145 16-Channel Output Digital I/O Accessory |
| 781517-01 | 189408E-04L | SMB-2146 2 Channel Input, 16 Channel Output Digital I/O Accessory |
| 781518-01 | 189408E-05L | SMB-2147 16 Channel Analog Input Accessory |
| 781519-01 | 189408E-06L | SMB-2148 8 Channel Input, 8 Channel Output Digital I/O Accessory |
| 781526-01 | 150640A-2R5 (rev A or higher) | UMI-7772/74 TO AKD DRIVE CABLE |
| | 747215-01 | |



| | | |
|-------------|-----------------------------|--|
| 781528-06 | 763175-01 | VP-507BEAN-06 6A POWER CABLE, AKM MOTOR TO AKD DRIVE, 6M |
| 781600-01 | 764115-01 | PRECISION ADAPTER, N-TYPE, MALE-MALE |
| 781602-01 | 764117-01 | PRECISION ADAPTER, N-TYPE, MALE-FEMALE |
| 781603-01 | 764118-01 | PRECISION ADAPTER, N-TYPE MALE TO K-TYPE MALE |
| 781615-01 | 781615-01 | CALIBRATED 5/16" TORQUE WRENCH, 8 IN-LBS (0.9 NM) |
| 781623-01 | 747687-01 | PXIE-1071 CHASSIS FAN REPLACEMENT KIT |
| 781634-01 | 151749A-01 | Rack Mount Kit for PXIe-1078 and PXIe-1088 |
| 781687-01 | 151831A-01L | NI TB-2630B, Terminal Block for NI PXI-2530B as Multiplexer |
| 781692-01 | 151999A-01 | LFH160 TO 50-PIN D-SUB FOR NI PXI-2530B |
| 781722-01 | 152004A-01 | NI 9903 Horizontal Panel Mounting Kit for 9181/91 Chassis |
| 781740-01 | 188742B-04 | NI 9913 DIN Rail Kit for NI 9181/9191 Chassis |
| 781769-01 | 747907-01 | SEIKO GIKEN HANDI MATE 2.5MM AND 1.25MM CLEANER, OVER 500 SWIPES |
| 781845-01 | 151957A-01 | Cable Assy, SMA to SMA, Coax, RG-402, 50 OHM, 1 Meter |
| 781846-01 | 151957A-OR3 | Cable Assy, SMA to SMA, Coax, RG-402, 50 OHM, 0.3 Meters |
| 781864-1024 | 696333-1024 | 1 GB DDR2 RAM for PXIe-8100 Controller |
| 781864-512 | 696333-512 | 512 MB DDR2 RAM for PXIe-8100 Controller |
| 781877-01 | 748033-01 | Camera, Basler, ACA750-30GM, GIGE, 752X580, 30FPS, Monochrome |
| 781878-01 | 748034-01 | Camera, Basler, ACA750-30GC, GIGE, 752X580, 30FPS, Color |
| 781895-01 | 152488A-OR5 | SHC68-C68 RMIO and RDIO Cables for Optimedica, 68-PIN VHDCI to 68-PIN VHDCI, 0.5 M |
| 781913-01 | 748153-01 | VERT 2450: 2.4 and 5 GHZ Dual Band Vertical Antenna |
| 781915-01 | 748154-01 | VERT 400: 144 MHZ, 400 MHZ, 1200 MHZ, TRI Band Vertical Antenna |
| 781918-01 | 151611A-01 | NI PXIe-5665 3.6 GHZ VSA Cable Kit |
| | 151612A-01 | |
| | 190412B-05 | |
| 781919-01 | 152886A-01 | NI Panel Mount Kit for CRIO-908X |
| 781922-01 | 151628A-01L | NI 9924 Front-Mount Terminal Block for 25-PIN D-SUB Modules |
| 781945-01 | 747474-480 | 300GB OR GREATER 2.5 IN MLC SATA EXT TEMP 24/7 SSD UPGRADE |
| 781946-01 | 747979-500 | 500 GB 2.5 IN SATA Hard Drive Upgrade |
| 781950-01 | 611335-01 | EMI Suppression, Ferrite, Round Cable |
| 781965-01 | 748090-01 | AKM11F-ANMN2-00 BLDC Motor, 4057 RPM@24VDC, 0.128NM |
| 781965-02 | 748091-01 | AKM11E-ANMN2-00 BLDC Motor, 2002 RPM@24VDC, 0.180NM |
| 781965-04 | 748093-01 | AKM21G-ANMN2-00 BLDC Motor, 1958 RPM@24VDC, 0.289NM |
| 781965-05 | 748094-01 | AKM21F-ANMN2-00 BLDC Motor, 1300 RPM@24VDC, 0.354NM |
| 781965-06 | 748095-01 | AKM21E-ANMN2-00 BLDC Motor, 721 RPM@24VDC, 0.447NM |
| 781970-01 | 748089-01 | AKM24F-BNBNC-00 BLDC Motor with SFD, 3000RPM@160VDC, 4.82NM |
| 781974-01 | 152514A-01(Rev A or higher) | NI PXIe-4140/4141 Connector Kit |
| | 762284-01 | |
| 781987-01 | 152825A-01(Rev A or higher) | DIN Rail Mounting Kit for COMPACTRIO 908X Systems |
| 781989-01 | 153018A-01(Rev A or higher) | Rack Mount Kit for cRIO Ssystems |
| 782033-01 | 748164-01 | Single Axis AKD Drive, ECAT, 6A Continuous Current, 240/480VAC, 3 Phase |
| 782034-01 | 748165-01 | AKM72P-ANCNC-00 BLDC Motor with SFD, 2170PM@320VDC, 29.4NM |
| 782060-01 | 151611A-01(Rev A or higher) | NI PXIe-5665 14 GHZ VSA Cable Kit |
| | 151612A-01(Rev A or higher) | |



| | | |
|-------------|-----------------------------|--|
| | 763282-07 | |
| 782086-01 | 748195-01 | AKM44H-ANC2C-00 BLDC Motor with SFD, 1630RPM@160VDC, 5.89NM |
| 782092-01 | 150643A-01L | SMA-2165 PROTOTYPING ACCESSORY FOR NI 6585 |
| 782098-01 | 748210-01 | AKM31E-NACNC-00 BLDC Gear Motor with SFD, 90MM Frame, 10:1 Reduction Ratio |
| 782107-01 | 152665A-01(Rev A or higher) | Replacement Fan Assembly for NI PXIe-1066DC |
| 782116-01 | 748532-01 | SPARE OPTICAL DRIVE FOR NI RMC-8355 |
| 782131-01 | 152846B-01 | COMPACTRIO PROFINET SLAVE C SERIES MODULE |
| 782138-01 | 748230-01 | BASLER ACE CAMERA, ACA640-90GM, 659 X 494, 90 FPS, MONOCHROME |
| 782139-01 | 748231-01 | BASLER ACE CAMERA, ACA640-90GC, 659 X 494, 90 FPS, COLOR |
| 782140-01 | 748232-01 | BASLER ACE CAMERA, ACA1600-20GM, 1628 X 1236, 20 FPS, MONOCHROME |
| 782141-01 | 748233-01 | BASLER ACE CAMERA, ACA1600-20GC, 1628 X 1236, 20 FPS, COLOR |
| 782150-01 | 748238-01 | BASLER SCOUT CAMERA, SCA640-74FC, 658 X 492, 74 FPS, COLOR |
| 782151-01 | 748239-01 | BASLER SCOUT CAMERA, SCA640-120FM, 659 X 493, 120 FPS, MONOCHROME |
| 782152-01 | 748240-01 | BASLER SCOUT CAMERA, SCA640-120FC, 659 X 493, 120 FPS, COLOR |
| 782153-01 | 748241-01 | BASLER SCOUT CAMERA, SCA750-60FM, 752 X 480, 64 FPS, MONOCHROME |
| 782154-01 | 748242-01 | BASLER SCOUT CAMERA, SCA750-60FC, 752 X 480, 64 FPS, COLOR |
| 782155-01 | 748243-01 | BASLER SCOUT CAMERA, SCA780-54FM, 782 X 582, 58 FPS, MONOCHROME |
| 782157-01 | 748244-01 | BASLER SCOUT CAMERA, SCA1000-30FM, 1034 X 779, 30 FPS, MONOCHROME |
| 782158-01 | 748245-01 | BASLER SCOUT CAMERA, SCA1000-30FC, 1034 X 779, 30 FPS, COLOR |
| 782160-01 | 748246-01 | BASLER SCOUT CAMERA, SCA1300-32FC, 1296 X 966, 33 FPS, COLOR |
| 782164-01 | 748247-01 | BASLER SCOUT CAMERA, SCA1400-17FM, 1392 X 1040, 17 FPS, MONOCHR |
| 782165-01 | 748249-01 | BASLER SCOUT CAMERA, SCA1400-17FC, 1392 X 1040, 17 FPS, COLOR |
| 782166-01 | 748250-01 | BASLER SCOUT CAMERA, SCA1400-30FM, 1392 X 1040, 30 FPS, MONOCHROME |
| 782167-01 | 748251-01 | BASLER SCOUT CAMERA, SCA1400-30FC, 1392 X 1040, 30 FPS, COLOR |
| 782170-01 | 748252-01 | BASLER SCOUT CAMERA, SCA1600-14FC, 1628 X 1236, 14 FPS, COLOR |
| 782171-01 | 748253-01 | BASLER SCOUT CAMERA, SCA1600-28FM, 1628 X 1236, 28 FPS, MONOCHROME |
| 782172-01 | 748254-01 | BASLER SCOUT CAMERA, SCA1600-28FC, 1628 X 1236, 28 FPS, COLOR |
| 782175-01 | 748255-01 | BASLER SCOUT CAMERA, SCA640-74GM, 658 X 492, 79 FPS, MONOCHROME |
| 782271-01 | 153182A-01 | DISPLAY PORT TO VGA ADAPTER CABLE |
| 782316-04 | 153848A-04 | LOW PROFILE, DB37 FEMALE TO PIGTAIL SHIELDED I/O CABLE, 4 M |
| 782317-03 | 153803A-03 | MXI-EXPRESS CABLE, GEN 2 X8, COPPER, 3M |
| 782317-05 | 153803A-05 | MXI-EXPRESS CABLE, GEN 2 X8, COPPER, 5M |
| 782338-06 | 763344-06 | Flex SFD Feedback Cable, AKM Motor to AKD Drive, 6M |
| 782341-4096 | 782341-4096 | 4 GB UPGRADE/REPLACEMENT RAM FOR PXIE-8135 AND PXI-8119 |
| 782341-8192 | 782341-8192 | 8 GB UPGRADE/REPLACEMENT RAM FOR PXIE-8135 AND PXI-8119 |
| 782344-01 | 748413-01 | AKM21C-CKC2C-00 PMSM Motor AC Servo, with SFD Feedback, Brake |
| 782345-01 | 748420-01 | AKM21C-CKC2R-00 PMSM Motor with SFD Feedback, Brake |
| 782348-01 | 748425-01 | AKM74Q-ANH2C-00 PMSM Motor with SFD Feedback, Brake |
| 782391-01 | 748432-01 | AKM42E-ACCNR-00 PMSM Motor with SFD Feedback, Brake |
| 782405-01 | 748453-01 | AKM41H-ANC2C-00 PMSM Motor with SFD Feedback, Brake |
| 782406-01 | 764591-01 | Screw Lock Mating Connector Kit for AKD-X00306 and AKD-X00606 |
| 782407-01 | 152910A-01 | NI FLEXRIO Windowed Adapter Module Enclosure (Qty 1) |
| | 195549A-01 | |
| 782408-01 | 154308A-01L | NI FLEXRIO BLANK ADAPTER MODULE ENCLOSURE (QUANTITY 1) |
| 782414-01 | 748554-01 | AKM42G-BKCN1-00 PMSM Motor with Encoder Feedback |



| | | |
|-----------|--|---|
| 782417-03 | 154363A-01 | 160 PIN DIN TO 4 D-SUB FOR NI PXI-2510, PXI-2520/1/2/3, PXIE-2524/5/6, AND PXIE-273X, 1M |
| 782421-01 | 748481-01 | AKM54L-ANCNC-00 PMSM Motor with SFD Feedback |
| 782427-01 | 154210B-60 154211C-60 | ROW AND COLUMN CABLE KIT FOR TB-264XB TERMINAL BLOCKS (100 VDC, 1.5 M) |
| 782446-01 | 154212A-01 | NI FLEXRIO FPGA Module Backside Guard with Rivets |
| 782460-10 | 738522-01 | RELAY REPLACEMENT KIT FOR IMB02CTS RELAYS (QTY: 10) |
| 782463-01 | 748527-01 | AKM42H-EKCNC-00 PMSM Motor with SFD Feedback, NEMA Mount |
| 782464-01 | 748528-01 | Single Axis AKD Drive, Analog, 6A Continuous Current, 120/240 VAC |
| 782474-01 | 748505-01 | 2 DOF Inverted Pendulum/Gantry Crane Module, High Res Encoders, Documented Params and Control VIS |
| 782476-01 | 748506-01 | 2 DOF Robot Module, 4-Bar Pantograph Configuration, ABET-Aligned Lab Teaching Materials and VIS |
| 782509-01 | 748182-01 | APG Mount for Smart Camera |
| 782531-01 | 782531-01 | USB-8452 MOUNTING KIT FOR NON OEM MODULE KITS |
| 783524-01 | 749409-01 | SPARE/REPLACEMENT BLU-RAY DISK DRIVE FOR RMC-8355 |
| 782533-01 | 748543-01 | AKM51L-ANCNC-00 PMSM Motor with SFD Feedback |
| 782536-01 | 153721C-01L | SCB-68A SHIELDED CONNECTOR BLK |
| 782539-10 | 749247-01 | CP-507CCAN-10-0 MOTOR POWER CABLE, AKM MOTOR TO AKD DRIVE, 10M |
| 782546-01 | 748573-01 | SPARE/REPLACEMENT FAN FOR NI RMC-8355 |
| 782551-01 | 748569-01 | AKM24D-ANC2R-00 PMSM Motor with Resolver Feedback |
| 782552-01 | 748570-01 | AKM24F-ANC2R-00PMSM Motor with Resolver Feedback |
| 782554-01 | 748571-01 | AKM41E-NBCNC-00 Gearmotor, 25:1 Ratio, SFD Feedback |
| 782561-01 | 763584-01 | ACI-AKD-A, AKD/DDI Motor Cable Adapter (Heidenhain-Type Encoders) |
| 782570-01 | 748536-01 | NI 177X Smart Camera Light Bracket for AI RL4260 and RL127 Lights |
| 782571-01 | 748585-01 | AKM23D-ANC2R-00 PMSM Motor with Resolver Feedback, Brake |
| 782573-01 | 748534-01 | GPS Antenna, Magnetic Mount, 5M Cable with SMA |
| 782574-01 | 154092A-10(Rev A or higher) 748535-01 | GPS Antenna, Fixed Mount, 10M Cable with SMA |
| 782578-01 | 153105B-01 | NI CAN No Termination Cable with Power Terminals, High-Speed/Low-Speed, 1M |
| 782578-02 | 153105B-02 | NI CAN No Termination Cable with Power Terminals, High-Speed/Low-Speed, 2M |
| 782579-02 | 153105B-T2 | NI CAN Single Termination Cable with Power Terminals, High-Speed, 2M |
| 782582-01 | 764385-01 | 4-POS Screw Terminal Power Supply Plugs, High Current (Qty 5) |
| 782596-01 | 154820A-01 (rev A or higher) | Dual CPU Upgrade For NI RMC-8355, Intel Xeon E5620 |
| 782598-01 | 748599-01 | AKM74Q-ANHNC-00 PMSM Motor with SFD Feedback, No Brake |
| 782600-01 | 748601-01 | Single Axis AKD Drive, ECAT, 24A Continuous Current, 240/480 VAC |
| 782634-01 | 764722-01 | Screw Lock Mating Connector Kit for AKD-X01206 (Includes X1, X2, X3, X7 AND X8 Connectors) |
| 782636-01 | 748629-01 | Single Axis AKD Drive, ECAT or CANOPEN, 12A Continuous Current, 120/240 VAC |
| 782637-01 | 748630-01 | Single Axis AKD Drive, ECAT or CANOPEN, 12A Continuous Current, 240/480 VAC |
| 782638-01 | 748631-01 | AKM44J-ANCNC-00 PMSM Motor with SFD Feedback |
| 782643-01 | 146534B-01 | NI NOX CAN MODULE INTERFACE CABLE |
| 782671-01 | 748646-01 | Single Axis Drive, AKD-P01206-NBAN-0000, 12A Continuous Current, 120/240VAC, Analog |
| 782672-01 | 748647-01 | Single Axis Drive, AKD-P02406-NBAN-0000, 24A Continuous Current, 120/240VAC, Analog |
| 782673-01 | 748648-01 | Single Axis Drive, AKD-P00307-NBAN-0000, 3A Continuous Current, 240/480VAC, Analog |
| 782674-01 | 748649-01 | Single Axis Drive, AKD-P00607-NBAN-0000, 6A Continuous Current, 240/480VAC, Analog |
| 782676-01 | 748651-01 | Single Axis DRIVE, AKD-P02407-NBAN-0000, 24A Continuous Current, 240/480VAC, Analog |
| 782677-01 | 748652-01 | Single Axis Drive, AKD-P01207-NBEC-0000, 12A Continuous Current, 240/480VAC, ETHERCAT |
| 782679-01 | 763628-01 | VP-507BEAN-09, 6 AMP AKD Power Cable, 9M |



| | | |
|-----------|---|---|
| 782698-01 | 723388-01 | NI PS-10 DESKTOP POWER SUPPLY (MODEL STD-24050) 24 VDC, 5A |
| 782703-01 | 762242-01 | B SERIES ACCESSORIES: 4 CONNECTORS AND SCREWDRIVER |
| 782708-01 | 748674-01 | AKM22E-ANC2R-00 PMSM Motor with Resolver Feedback, Brake |
| 782711-01 | 748675-01 | AKM24D-BNBNC-00 PMSM Motor with SFD Feedback, NEMA Mount |
| 782715-01 | 154928A-01 (Rev A or higher) | NI 9927, STRAIN RELIEF AND OPERATOR PROTECTION FOR 10-POS SCREW TERM (QTY 1) |
| 782721-01 | 748684-01 | AKM22E-CKC2R-00, PMSM Motor with Resolver Feedback, Brake |
| 782722-01 | 748685-01 | AKM22C-CKC2R-00, PMSM Motor with Resolver Feedback, Brake |
| 782723-01 | 748686-01 | AKM64K-ANC21-00, PMSM Motor with Encoder Feedback |
| 782724-01 | 748687-01 | AKM54H-ANCN1-00, PMSM Motor with Encoder Feedback |
| 782730-01 | 748689-01 | AKM54G-V5C2C-00 GEARMOTOR, 115MM Frame, 5:1 Reduction Ratio, 24VDC Brake, SFD Feedback |
| 782731-01 | 748693-01 | AKM23D-ACC2R-00, PMSM Motor with Resolver Feedback, Brake |
| 782732-01 | 748694-01 | AKM22E-ACC2R-00, PMSM Motor with Resolver Feedback, Brake |
| 782733-01 | 748695-01 | AKM22C-ACC2R-00, PMSM Motor with Resolver Feedback, Brake |
| 782769-01 | 154812B-8R7 (rev B or higher) | CABLE ASSEMBLY, SMA-M TO SMA-F BULKHEAD, 0.2M |
| 782770-01 | 156923A-01 (Rev A or higher) | CABLE ASSEMBLY, SMA TO SMA, 1M |
| 782778-01 | 748837-01 | USRP RACK MOUNT KIT (COMBINE 4 DEVICES INTO 3U, 19" RACK) |
| 782781-01 | 156923A-01 764897-01 | SMA CABLE AND 30DB ATTENUATOR LOOP BACK KIT - ETTUS RESEARCH |
| 782801-01 | 611484-01 | EMI SUPPRESSION FERRITE FOR NI 9229/39 BNC (QTY 1) |
| 782802-01 | 611461-01 | EMI SUPPRESSION FERRITE FOR NI 9230/9232 (QTY 1) |
| 782803-01 | 711627-01 | EMI SUPPRESSION FERRITE FOR NI 9401 (QTY 1) |
| 782805-01 | 748713-01 | AKM24D-N5BNC-00, PMSM Gearmotor, 5:1 Reduction Ratio, SFD Feedback |
| 782818-01 | 155225A-01 (rev A or higher) | PANEL MOUNTING KIT FOR NI 9155 |
| 782839-01 | 762008-01 | 2-TERMINAL DETACHABLE SCREW-TERMINAL FOR PXIE-4610 |
| 782847-01 | 748749-01 | AKM33E-ANC2C-00, PMSM MOTOR, 24VDC BRAKE, SFD FEEDBACK |
| 782850-01 | 151611A-01 (rev A or higher) 154048A-01 (rev A or higher) 154050A-01 (rev A or higher) 763282-07 | NI PXIE-5667 7 GHZ SPECTRAL MONITORING RECEIVER CABLE KIT |
| 782851-01 | 151611A-01 (rev A or higher) 154048A-01 (rev A or higher) 154049A-01 (rev A or higher) 763282-07 | NI PXIE-5667 3.6 GHZ SPECTRAL MONITORING RECEIVER CABLE KIT |
| 782855-01 | 748750-01 | AKM32E-ANC2C-00, PMSM MOTOR, 24VDC BRAKE, SFD FEEDBACK |
| 782863-01 | 155391C-01 (rev C or higher) | PANEL MOUNT KIT FOR 8 SLOT COMPACTRIO 906X SYSTEMS |
| 782866-01 | 764845-01 | NI TBX-50B, 50 PIN DSUB SCREW TERMINAL BLOCK |
| 782877-01 | 748757-01 | AKM43G-VAC2C-00, AKM Gearmotor, Precision Line Gearhead, 10:1 Ratio SFD Feedback, 24VDC Brake |
| 782879-01 | 748763-01 | AKM43L-ANC2C-00, PMSM MOTOR, 24 VDC BRAKE, SFD FEEDBACK |
| 782883-01 | 748764-01 | AKM65L-ANCNC-00 PMSM Motor, 90° Intercontec Connectors, No Brake, SFD Feedback |



| | | |
|-------------|---|---|
| 782887-01 | 154915A-01 (rev A or higher) 764763-01 | ADDITIONAL CONNECTOR KIT FOR NI PXIE-4112/13 POWER SUPPLIES |
| 782908-01 | 748771-01 | AKM42E-EKGNR-01, PMSM MOTOR, NO BRAKE, RESOLVER FEEDBACK |
| 782909-01 | 152190A-01 (Rev A or higher) | HIGH SPEED USB - 1 METER CABLE - MICRO TO STD MALE |
| 782909-02 | 152190A-02 (rev A or higher) | HIGH SPEED USB - 2 METER CABLE - MICRO TO STD MALE |
| 782910-01 | 748772-01 | AKM41E-VBCNC-00, AKM GEAR MOTOR, PRECISION LINE GEARHEAD, 100MM FRAME, 25:1 RATIO, SFD FEEDBACK |
| 782911-2048 | 697464-2048 | Replacement/Upgrade 2 GB Of DDR3 RAM For PXI(E)-8115 Controllers |
| 782911-4096 | 697464-4096 | Replacement/Upgrade 4 GB Of DDR3 RAM For PXI(E)-8115 Controllers |
| 782926-01 | 748781-01 | AKM43L-EKC2C-00, PMSM MOTOR, 24 VDC BRAKE, SFD FEEDBACK |
| 782927-01 | 748783-01 | AKM65P-GCCNC-01, PMSM MOTOR, NO BRAKE, SFD FEEDBACK |
| 782928-01 | 748784-01 | AKM51H-ACCNC-01, PMSM MOTOR, NO BRAKE, SFD FEEDBACK |
| 782936-01 | 748794-01 | CAMERA, BASLER RACER, RAL2048-48GM, 2048 PIXELS, 48 KHZ, MONOCHROME |
| 782937-01 | 748795-01 | CAMERA, BASLER RACER, RAL4096-24GM, 4096 PIXELS, 24 KHZ, MONOCHROME |
| 782938-01 | 748796-01 | CAMERA, BASLER RACER, RAL6144-16GM, 6144 PIXELS, 16 KHZ, MONOCHROME |
| 782939-01 | 748797-01 | CAMERA, BASLER RACER, RAL8192-12GM, 8192 PIXELS, 12 KHZ, MONOCHROME |
| 782940-01 | 748798-01 | CAMERA, BASLER RACER, RAL12288-8GM, 12288 PIXELS, 8 KHZ, MONOCHROME |
| 782941-01 | 748799-01 | CAMERA, BASLER RACER, RAL2048-80KM, 2048 PIXELS, 80 KHZ, MONOCHROME |
| 782942-01 | 748800-01 | CAMERA, BASLER RACER, RAL4096-80KM, 4096 PIXELS, 80 KHZ, MONOCHROME |
| 782943-01 | 748801-01 | CAMERA, BASLER RACER, RAL6144-80KM, 6144 PIXELS, 80 KHZ, MONOCHROME |
| 782944-01 | 748802-01 | CAMERA, BASLER RACER, RAL8192-80KM, 8192 PIXELS, 80KHZ, MONOCHROME |
| 782945-01 | 748803-01 | CAMERA, BASLER RACER, RAL12288-66KM, 12288 PIXELS, 66 KHZ, MONOCHROME |
| 782948-01 | 155086A-01 (Rev A or higher) | I/O Accessory For NI 8237R And 3M 26-PIN D-SUB Cable |
| 782949-01 | 194646B-01 (rev B or higher) | FAN FILTERS FOR PXI AND PXI EXPRESS CHASSIS |
| 782950-01 | 763438-01 | DC POWER CORD FOR PXIE-1082DC |
| 782964-10 | 749251-01 | CF-DA0374N-10-0, MOTOR SFD FEEDBACK CABLE, AKM MOTOR TO AKD DRIVE, 10M |
| 782987-01 | 748831-01 | 22in. Widescreen IPS Monitor - Displayport, HDMI, DVI, And VGA Input For PC'S |
| 782988-01 | 748830-01 | 19in. Flat Panel Monitor- Displayport, DVI, And VGA Input For PC'S |
| 782989-01 | 763844-01 | 1.8M DISPLAYPORT TO DISPLAYPORT CABLE |
| 783001-8192 | 697464-8192 | 8 GB UPGRADE/REPLACEMENT RAM FOR PXIE-8840 |
| 783013-01 | 748903-01 | STEPPER DRIVE, 120VAC SUPPLY, TWO-PHASE, BIPOLAR STEP MOTORS, 0.5-5A/PHASE, ENCODER FEEDBACK |
| 783014-01 | 748904-01 | STEPPER DRIVE, 220VAC SUPPLY, TWO-PHASE, BIPOLAR STEP MOTORS, 0.5-2.55A/PHASE, ENCODER FEEDBACK |
| 783015-01 | 748900-01 | STEPPER DRIVE, 12-48VDC SUPPLY, 0.3-2.2 A/PHASE, STEP & DIRECTION, 2-PHASE STEP MOTORS |
| 783016-01 | 748901-01 | STEPPER DRIVE, 24-48VDC SUPPLY, 1.12-4.5 A/PHASE, STEP & DIRECTION, 2-PHASE STEP MOTORS |
| 783017-01 | 748902-01 | STEPPER DRIVE, 24-75VDC SUPPLY, 2.35-8.0 A/PHASE, STEP & DIRECTION, 2-PHASE STEP MOTORS |
| 783021-01 | 748908-01 | REGENERATION CLAMP FOR DC-INPUT DRIVES, 50W CONTINUOUS, 800W PEAK |
| 783022-01 | 748991-01 | INCREMENTAL ENCODER FOR NEMA 17 STEP MOTORS. 5MM HUB DIA, 2000 CPR, DIFFERENTIAL OUTPUTS |
| 783023-01 | 748992-01 | INCREMENTAL ENCODER FOR NEMA 23 & 24 STEP MOTORS. 1/4" HUB DIA, 2000 CPR, DIFFERENTIAL OUTPUTS |
| 783024-01 | 748993-01 | INCREMENTAL ENCODER FOR NEMA 34 STEP MOTORS. 3/8" HUB DIA, 2000 CPR, DIFFERENTIAL OUTPUTS |
| 783025-01 | 748994-01 | ENCODER CABLE, 10FT, SMD-762X STEPPER DRIVES TO ENC-774X INCREMENTAL ENCODERS |
| 783027-01 | 748909-01 | ST8-1 HYBRID STEP MOTOR, 2-PHASE, NEMA 8, 1.8 DEG/STEP, 2.4 OZ-IN |



| | | |
|-----------|-----------|---|
| 783027-02 | 748910-01 | ST8-1D HYBRID STEP MOTOR, 2-PHASE,1.8 DEG/STEP, NEMA 8, 2.4 OZ-IN, DUAL SHAFT |
| 783028-01 | 748911-01 | ST8-2 HYBRID STEP MOTOR, 2-PHASE 1.8 DEG/STEP, NEMA 8, 4.44 OZ-IN |
| 783028-02 | 748912-01 | ST8-2D HYBRID STEP MOTOR, 2-PHASE,1.8 DEG/STEP, NEMA 8, 4.44 OZ-IN, DUAL SHAFT |
| 783029-01 | 748913-01 | ST11-1 HYBRID STEP MOTOR, 2-PHASE,1.8 DEG/STEP, NEMA 11, 7.4 OZ-IN |
| 783029-02 | 748914-01 | ST11-1D HYBRID STEP MOTOR, 2-PHASE,1.8 DEG/STEP, NEMA 11, 7.4 OZ-IN, DUAL SHAFT |
| 783030-01 | 748915-01 | ST11-2 HYBRID STEP MOTOR, 2-PHASE,1.8 DEG/STEP, NEMA 11, 15.3 OZ-IN |
| 783030-02 | 748916-01 | ST11-2D HYBRID STEP MOTOR, 2-PHASE,1.8 DEG/STEP, NEMA 11, 15.3 OZ-IN, DUAL SHAFT |
| 783031-01 | 748917-01 | ST14-1 HYBRID STEP MOTOR, 2-PHASE,1.8 DEG/STEP, NEMA 14, 26 OZ-IN |
| 783031-02 | 748918-01 | ST14-1D HYBRID STEP MOTOR, 2-PHASE,1.8 DEG/STEP, NEMA 14, 26 OZ-IN, DUAL SHAFT |
| 783032-01 | 748919-01 | ST17-1 HYBRID STEP MOTOR, 2-PHASE, 1.8 DEG/STEP, NEMA 17, 31.2 OZ-IN |
| 783032-02 | 748920-01 | ST17-1D HYBRID STEP MOTOR, 2-PHASE, 1.8 DEG/STEP, NEMA 17, 31.2 OZ-IN, DUAL SHAFT |
| 783032-03 | 748921-01 | ST17-1E HYBRID STEP MOTOR, 2-PHASE, 1.8 DEG/STEP, NEMA 17, 31.2 OZ-IN, W/ ENCODER |
| 783033-01 | 748922-01 | ST17-2 HYBRID STEP MOTOR, 2-PHASE, 1.8 DEG/STEP, NEMA 17, 52.4 OZ-IN |
| 783033-02 | 748923-01 | ST17-2D HYBRID STEP MOTOR, 2-PHASE, 1.8 DEG/STEP, NEMA 17, 52.4 OZ-IN, DUAL SHAFT |
| 783033-03 | 748924-01 | ST17-2E HYBRID STEP MOTOR, 2-PHASE, 1.8 DEG/STEP, NEMA 17, 52.4 OZ-IN, W/ ENCODER |
| 783034-01 | 748925-01 | ST17-3 HYBRID STEP MOTOR, 2-PHASE, 1.8 DEG/STEP, NEMA 17, 77.9 OZ-IN |
| 783034-02 | 748926-01 | ST17-3D HYBRID STEP MOTOR, 2-PHASE, 1.8 DEG/STEP, NEMA 17, 77.9 OZ-IN, DUAL SHAFT |
| 783034-03 | 748927-01 | ST17-3E HYBRID STEP MOTOR, 2-PHASE, 1.8 DEG/STEP, NEMA 17, 77.9 OZ-IN, W/ ENCODER |
| 783035-01 | 748928-01 | ST17-4 HYBRID STEP MOTOR, 2-PHASE, 1.8 DEG/STEP, NEMA 17, 113 OZ-IN |
| 783035-02 | 748929-01 | ST17-4D HYBRID STEP MOTOR, 2-PHASE, 1.8 DEG/STEP, NEMA 17, 113 OZ-IN, DUAL SHAFT |
| 783035-03 | 748930-01 | ST17-4E HYBRID STEP MOTOR, 2-PHASE, 1.8 DEG/STEP, NEMA 17, 113 OZ-IN, W/ ENCODER |
| 783036-01 | 748931-01 | ST23-1 HYBRID STEP MOTOR, 2-PHASE, 1.8 DEG/STEP, NEMA 23, 76.5 OZ-IN |
| 783036-02 | 748932-01 | ST23-1D HYBRID STEP MOTOR, 2-PHASE, 1.8 DEG/STEP, NEMA 23, 76.5 OZ-IN, DUAL SHAFT |
| 783036-03 | 748933-01 | ST23-1E HYBRID STEP MOTOR, 2-PHASE, 1.8 DEG/STEP, NEMA 23, 76.5 OZ-IN, W/ ENCODER |
| 783037-01 | 748934-01 | ST23-2 HYBRID STEP MOTOR, 2-PHASE, 1.8 DEG/STEP, NEMA 23, 76.5 OZ-IN |
| 783037-02 | 748935-01 | ST23-2D HYBRID STEP MOTOR, 2-PHASE, 1.8 DEG/STEP, NEMA 23, 76.5 OZ-IN, DUAL SHAFT |
| 783037-03 | 748936-01 | ST23-2E HYBRID STEP MOTOR, 2-PHASE, 1.8 DEG/STEP, NEMA 23, 76.5 OZ-IN, W/ ENCODER |
| 783038-01 | 748937-01 | ST23-3 HYBRID STEP MOTOR, 2-PHASE, 1.8 DEG/STEP, NEMA 23, 84.4 OZ-IN |
| 783038-02 | 748938-01 | ST23-3D HYBRID STEP MOTOR, 2-PHASE, 1.8 DEG/STEP, NEMA 23, 84.4 OZ-IN, DUAL SHAFT |
| 783038-03 | 748939-01 | ST23-3E HYBRID STEP MOTOR, 2-PHASE, 1.8 DEG/STEP, NEMA 23, 84.4 OZ-IN, W/ ENCODER |
| 783039-01 | 748940-01 | ST23-4 HYBRID STEP MOTOR, 2-PHASE, 1.8 DEG/STEP, NEMA 23, 158 OZ-IN |
| 783039-02 | 748941-01 | ST23-4D HYBRID STEP MOTOR, 2-PHASE, 1.8 DEG/STEP, NEMA 23, 158 OZ-IN, DUAL SHAFT |
| 783039-03 | 748942-01 | ST23-4E HYBRID STEP MOTOR, 2-PHASE, 1.8 DEG/STEP, NEMA 23, 158 OZ-IN, W/ ENCODER |
| 783040-01 | 748943-01 | ST23-5 HYBRID STEP MOTOR, 2-PHASE, 1.8 DEG/STEP, NEMA 23, 167 OZ-IN |
| 783040-02 | 748944-01 | ST23-5D HYBRID STEP MOTOR, 2-PHASE, 1.8 DEG/STEP, NEMA 23, 167 OZ-IN, DUAL SHAFT |
| 783040-03 | 748945-01 | ST23-5E HYBRID STEP MOTOR, 2-PHASE, 1.8 DEG/STEP, NEMA 23, 167 OZ-IN, W/ ENCODER |
| 783041-01 | 748946-01 | ST23-6 HYBRID STEP MOTOR, 2-PHASE, 1.8 DEG/STEP, NEMA 23, 269 OZ-IN |
| 783041-02 | 748947-01 | ST23-6D HYBRID STEP MOTOR, 2-PHASE, 1.8 DEG/STEP, NEMA 23, 269 OZ-IN, DUAL SHAFT |
| 783041-03 | 748948-01 | ST23-6E HYBRID STEP MOTOR, 2-PHASE, 1.8 DEG/STEP, NEMA 23, 269 OZ-IN, W/ ENCODER |
| 783042-01 | 748949-01 | ST23-7 HYBRID STEP MOTOR, 2-PHASE, 1.8 DEG/STEP, NEMA 23, 255 OZ-IN |
| 783042-02 | 748950-01 | ST23-7D HYBRID STEP MOTOR, 2-PHASE, 1.8 DEG/STEP, NEMA 23, 255 OZ-IN, DUAL SHAFT |
| 783042-03 | 748951-01 | ST23-7E HYBRID STEP MOTOR, 2-PHASE, 1.8 DEG/STEP, NEMA 23, 255 OZ-IN, W/ ENCODER |
| 783043-01 | 748952-01 | ST23-8 HYBRID STEP MOTOR, 2-PHASE, 1.8 DEG/STEP, NEMA 23, 354 OZ-IN |
| 783043-02 | 748953-01 | ST23-8D HYBRID STEP MOTOR, 2-PHASE, 1.8 DEG/STEP, NEMA 23, 354 OZ-IN, DUAL SHAFT |
| 783043-03 | 748954-01 | ST23-8E HYBRID STEP MOTOR, 2-PHASE, 1.8 DEG/STEP, NEMA 23, 354 OZ-IN, W/ ENCODER |
| 783044-01 | 748955-01 | ST24-1 HYBRID STEP MOTOR, 2-PHASE, 1.8 DEG/STEP, NEMA 24, 123 OZ-IN |



| | | |
|-----------|-----------|---|
| 783044-02 | 748956-01 | ST24-1D HYBRID STEP MOTOR, 2-PHASE, 1.8 DEG/STEP, NEMA 24, 123 OZ-IN, DUAL SHAFT |
| 783044-03 | 748957-01 | ST24-1E HYBRID STEP MOTOR, 2-PHASE, 1.8 DEG/STEP, NEMA 24, 123 OZ-IN, ENCODER |
| 783045-01 | 748958-01 | ST24-2 HYBRID STEP MOTOR, 2-PHASE, 1.8 DEG/STEP, NEMA 24, 177 OZ-IN |
| 783045-02 | 748959-01 | ST24-2D HYBRID STEP MOTOR, 2-PHASE, 1.8 DEG/STEP, NEMA 24, 177 OZ-IN, DUAL SHAFT |
| 783045-03 | 748960-01 | ST24-2E HYBRID STEP MOTOR, 2-PHASE, 1.8 DEG/STEP, NEMA 24, 177 OZ-IN, W/ ENCODER |
| 783046-01 | 748961-01 | ST24-3 HYBRID STEP MOTOR, 2-PHASE, 1.8 DEG/STEP, NEMA 24, 354 OZ-IN |
| 783046-02 | 748962-01 | ST24-3D HYBRID STEP MOTOR, 2-PHASE, 1.8 DEG/STEP, NEMA 24, 354 OZ-IN, DUAL SHAFT |
| 783046-03 | 748963-01 | ST24-3E HYBRID STEP MOTOR, 2-PHASE, 1.8 DEG/STEP, NEMA 24, 354 OZ-IN, W/ ENCODER |
| 783047-01 | 748964-01 | ST34-1 HYBRID STEP MOTOR, 2-PHASE, 1.8 DEG/STEP, NEMA 34, 397 OZ-IN |
| 783047-02 | 748965-01 | ST34-1D HYBRID STEP MOTOR, 2-PHASE, 1.8 DEG/STEP, NEMA 34, 397 OZ-IN, DUAL SHAFT |
| 783047-03 | 748966-01 | ST34-1E HYBRID STEP MOTOR, 2-PHASE, 1.8 DEG/STEP, NEMA 34, 397 OZ-IN, W/ ENCODER |
| 783048-01 | 748967-01 | ST34-2 HYBRID STEP MOTOR, 2-PHASE, 1.8 DEG/STEP, NEMA 34, 555 OZ-IN |
| 783048-02 | 748968-01 | ST34-2D HYBRID STEP MOTOR, 2-PHASE, 1.8 DEG/STEP, NEMA 34, 555 OZ-IN, DUAL SHAFT |
| 783048-03 | 748969-01 | ST34-2E HYBRID STEP MOTOR, 2-PHASE, 1.8 DEG/STEP, NEMA 34, 555 OZ-IN, W/ ENCODER |
| 783049-01 | 748970-01 | ST34-3 HYBRID STEP MOTOR, 2-PHASE, 1.8 DEG/STEP, NEMA 34, 555 OZ-IN |
| 783049-02 | 748971-01 | ST34-3D HYBRID STEP MOTOR, 2-PHASE, 1.8 DEG/STEP, NEMA 34, 555 OZ-IN, DUAL SHAFT |
| 783049-03 | 748972-01 | ST34-3E HYBRID STEP MOTOR, 2-PHASE, 1.8 DEG/STEP, NEMA 34, 555 OZ-IN, W/ ENCODER |
| 783050-01 | 748973-01 | ST34-4 HYBRID STEP MOTOR, 2-PHASE, 1.8 DEG/STEP, NEMA 34, 850 OZ-IN |
| 783050-02 | 748974-01 | ST34-4D HYBRID STEP MOTOR, 2-PHASE, 1.8 DEG/STEP, NEMA 34, 850 OZ-IN, DUAL SHAFT |
| 783050-03 | 748975-01 | ST34-4E HYBRID STEP MOTOR, 2-PHASE, 1.8 DEG/STEP, NEMA 34, 850 OZ-IN, W/ ENCODER |
| 783051-01 | 748976-01 | ST34-5 HYBRID STEP MOTOR, 2-PHASE, 1.8 DEG/STEP, NEMA 34, 1110 OZ-IN |
| 783051-02 | 748977-01 | ST34-5D HYBRID STEP MOTOR, 2-PHASE, 1.8 DEG/STEP, NEMA 34, 1110 OZ-IN, DUAL SHAFT |
| 783051-03 | 748978-01 | ST34-5E HYBRID STEP MOTOR, 2-PHASE, 1.8 DEG/STEP, NEMA 34, 1110 OZ-IN, W/ ENCODER |
| 783052-01 | 748979-01 | ST34-6 HYBRID STEP MOTOR, 2-PHASE, 1.8 DEG/STEP, NEMA 34, 1110 OZ-IN |
| 783052-02 | 748980-01 | ST34-6D HYBRID STEP MOTOR, 2-PHASE, 1.8 DEG/STEP, NEMA 34, 1110 OZ-IN, DUAL SHAFT |
| 783052-03 | 748981-01 | ST34-6E HYBRID STEP MOTOR, 2-PHASE, 1.8 DEG/STEP, NEMA 34, 1110 OZ-IN, W/ ENCODER |
| 783053-01 | 748982-01 | ST34-7 HYBRID STEP MOTOR, 2-PHASE, 1.8 DEG/STEP, NEMA 34, 1260 OZ-IN |
| 783053-02 | 748983-01 | ST34-7D HYBRID STEP MOTOR, 2-PHASE, 1.8 DEG/STEP, NEMA 34, 1260 OZ-IN, DUAL SHAFT |
| 783053-03 | 748984-01 | ST34-7E HYBRID STEP MOTOR, 2-PHASE, 1.8 DEG/STEP, NEMA 34, 1260 OZ-IN, W/ ENCODER |
| 783054-01 | 748985-01 | ST34-8 HYBRID STEP MOTOR, 2-PHASE, 1.8 DEG/STEP, NEMA 34, 1694 OZ-IN |
| 783054-02 | 748986-01 | ST34-8D HYBRID STEP MOTOR, 2-PHASE, 1.8 DEG/STEP, NEMA 34, 1694 OZ-IN, DUAL SHAFT |
| 783054-03 | 748987-01 | ST34-8E HYBRID STEP MOTOR, 2-PHASE, 1.8 DEG/STEP, NEMA 34, 1694 OZ-IN, W/ ENCODER |
| 783055-01 | 748988-01 | ST34-9 HYBRID STEP MOTOR, 2-PHASE, 1.8 DEG/STEP, NEMA 34, 1694 OZ-IN |
| 783055-02 | 748989-01 | ST34-9D HYBRID STEP MOTOR, 2-PHASE, 1.8 DEG/STEP, NEMA 34, 1694 OZ-IN, DUAL SHAFT |
| 783055-03 | 748990-01 | ST34-9E HYBRID STEP MOTOR, 2-PHASE, 1.8 DEG/STEP, NEMA 34, 1694 OZ-IN, W/ ENCODER |
| 783057-01 | 748891-01 | ISM-7400 NEMA 17 INTEGRATED STEPPER DRIVE+MOTOR, STEP & DIR, 68 OZ-IN, SINGLE SHAFT |
| 783057-02 | 748892-01 | ISM-7400D NEMA 17 INTEGRATED STEPPER DRIVE+MOTOR, STEP & DIR, 68 OZ-IN, DUAL SHAFT |
| 783057-03 | 748893-01 | ISM-7400E NEMA 17 INTEGRATED STEPPER DRIVE+MOTOR, STEP & DIR, 68 OZ-IN, W/ ENCODER |
| 783058-01 | 748894-01 | ISM-7401 NEMA 23 INTEGRATED STEPPER DRIVE+MOTOR, STEP & DIR, 125 OZ-IN, SINGLE SHAFT |
| 783058-02 | 748895-01 | ISM-7401D NEMA 23 INTEGRATED STEPPER DRIVE+MOTOR, STEP & DIR, 125 OZ-IN, DUAL SHAFT |
| 783058-03 | 748896-01 | ISM-7401E NEMA 23 INTEGRATED STEPPER DRIVE+MOTOR, STEP & DIR, 125 OZ-IN, WITH ENCODER |
| 783059-01 | 748897-01 | ISM-7402 NEMA 23 INTEGRATED STEPPER DRIVE+MOTOR, STEP & DIR, 210 OZ-IN, SINGLE SHAFT |
| 783059-02 | 748898-01 | ISM-7402D NEMA 23 INTEGRATED STEPPER DRIVE+MOTOR, STEP & DIR, 210 OZ-IN, DUAL SHAFT |
| 783059-03 | 748899-01 | ISM-7402E NEMA 23 INTEGRATED STEPPER DRIVE+MOTOR, STEP & DIR, 210 OZ-IN, WITH ENCODER |
| 783060-01 | 748875-01 | AKM24D-ANCNDB00, PMSM MOTOR, W/O BRAKE, MULTI-TURN ABSOLUTE ENDAT ENCODER |
| 783061-01 | 748876-01 | AKM24D-ANC2DB00, PMSM MOTOR, 24V DC BRAKE, MULTI-TURN ABSOLUTE ENDAT ENCODER |



| | | |
|-----------|------------------------------|--|
| 783075-01 | 748153-01 | VERT2450 VERTICAL ANTENNA (2.4-2.5 AND 4.9-5.9 GHZ) DUALBAND |
| 783094-01 | 156514A-01(Rev A or higher) | NI 9967, STRAIN RELIEF AND OPERATOR PROTECTION FOR NI 9242 (QTY 1) |
| 783104-01 | 749004-01 | AKM51G-ANG2C-00 PMSM Motor, SFD Feedback, w/Brake |
| 783105-01 | 749005-01 | Single Axis AKD Drive, ECAT or CANOPEN, 6A Continues Current, 120/240 VAC |
| 783125-01 | 749097-01 | BASLER ACE CAMERA, AC2040-25GM NIR, 2048 X 2048, 25 FPS, MONOCHROME, NEAR INFRARED |
| 783136-01 | 155936A-01(Rev A or higher) | NI WTS RACK MOUNT KIT |
| 783139-02 | 192004D-02 (Rev D or higher) | LFH200 TO 4X50-PIN DSUB SWITCH CABLE (CH-COM TWISTED), 2M |
| 783140-01 | 749085-01 | AKM23D-ANB2R-00 PMSM MOTOR, SMOOTH SHAFT, 24 VDC BRAKE, RESOLVER. |
| 783141-01 | 749086-01 | AKM23D-CKB2R-00 PMSM MOTOR, OPEN KEYWAY, 24 VDC BRAKE, RESOLVER. |
| 783142-01 | 749087-01 | AKM21C-ANB2R-00 PMSM MOTOR, SMOOTH SHAFT, 24 VDC BRAKE, RESOLVER. |
| 783143-01 | 749088-01 | AKM21C-CKB2R-00 PMSM MOTOR, OPEN KEYWAY, 24 VDC BRAKE, RESOLVER. |
| 783154-01 | 156516A-01(Rev A or higher) | NI 9969, STRAIN RELIEF AND OPERATOR PROTECTION FOR NI 9244 (QTY 1) |
| 783160-01 | 749107-01 | AKD SERIES BRUSHLESS SERVO DRIVE, RATED 12 A CONTINUOUS 240/480 VAC 3 PHASE, WITH ANALOG COMMAND |
| 783161-01 | 749108-01 | AKD SERIES BRUSHLESS SERVO DRIVE, RATED 24 A CONTINUOUS 240/480 VAC 3 PHASE, WITH ANALOG COMMAND |
| 783162-01 | 749109-01 | AKM54K-V4CNC-00 BLDC GEARMOTOR, 115 MM FRAME, 4:1 REDUCTION RATIO, SFD FEEDBACK |
| 783163-01 | 749110-01 | AKM64P-V4CNC-01 BLDC GEARMOTOR, 142 MM FRAME, 4:1 REDUCTION RATIO, SFD FEEDBACK |
| 783164-01 | 749111-01 | AKM63N-VACNC-01 BLDC GEARMOTOR, 142 MM FRAME, 10:1 REDUCTION RATIO, SFD FEEDBACK |
| 783165-01 | 749112-01 | AKM74P-ACCNC-01 PMSM MOTOR WITH SFD FEEDBACK |
| 783176-01 | 749117-01 | AKM24D-ANBNDB-00 PMSM MOTOR, INTERCONTEC CONNECTOR, OPTICAL ENCODER |
| 783177-01 | 749118-01 | AKM44H-ANCNDB-00 PMSM MOTOR, INTERCONTEC CONNECTOR, OPTICAL ENCODER |
| 783178-01 | 749119-01 | AKM63L-ANCNDB-00 PMSM MOTOR, INTERCONTEC CONNECTOR, OPTICAL ENCODER |
| 783179-01 | 749120-01 | AKM62P-ANCNDB-00 PMSM MOTOR, INTERCONTEC CONNECTOR, OPTICAL ENCODER |
| 783180-01 | 749121-01 | AKM74P-ANCNDB-00 PMSM MOTOR, INTERCONTEC CONNECTOR, OPTICAL ENCODER |
| 783181-01 | 749122-01 | AKM83T-ANTNDB-00 PMSM MOTOR, IP67 TERMINAL BOX, OPTICAL ENCODER |
| 783189-01 | 749129-01 | AKM24D-ANCNC-00 PMSM MOTOR, INTERCONTEC CONNECTORS, SFD FEEDBACK |
| 783195-01 | 783195-01 | SFP 1 GIGABIT ETHERNET INTERFACE KIT - ETTUS RESEARCH |
| 783196-01 | 152117B-01 | USRP X3XX 1U RACK MOUNT (2 USRP X300 DEVICES) |
| 783199-01 | 747969-250 | 250GB 7200RPM HDD FOR PXI EMBEDDED CONTROLLERS |
| 783202-01 | 749143-01 | AKM24D-ANB2R-00 PMSM MOTOR, INTERCONTEC CONNECTORS, 24 VDC BRAKE, RESOLVER |
| 783203-01 | 749144-01 | AKM24F-ANB2R-00 PMSM MOTOR, INTERCONTEC CONNECTORS, 24 VDC BRAKE, RESOLVER |
| 783205-01 | 154469B-01 | SPARE/REPLACEMENT REMOVABLE HARD DRIVE SHUTTLE FOR NI PXIE-8135 |
| 783270-01 | 749145-01 | AKM12C-AKCNC-01 PMSM MOTOR, INTERCONTEC CONNECTORS, W/O BRAKE, SFD FEEDBACK |
| 783273-01 | 749154-01 | TRIPOD ADAPTER PLATE, BASLER RACER SERIES |
| 783274-01 | 749155-01 | C-MOUNT LENS ADAPTER, BASLER RACER SERIES |
| 783275-01 | 749156-01 | F-MOUNT LENS ADAPTER, BASLER RACER SERIES |
| 783276-01 | 763980-01 | I/O CABLE, 12-PIN HIROSE TO BARE WIRES, 10 METERS, RACER AND RUNNER CAMERAS |
| 783277-01 | 763982-01 | POWER CABLE, 6-PIN HIROSE TO BARE WIRE, 10 METERS, BASLER SPRINT AND RACER CAMERAS |
| 783286-01 | 749162-01 | AKM64L-ANCNC-00 PMSM MOTOR, SMOOTH SHAFT, W/O BRAKE, SMART FEEDBACK |
| 783297-01 | 749169-01 | BASLER SCOUT CAMERA, SCA1300-32GM 90 DEGREE, 1296 X 966, 32 FPS, MONOCHROME |
| 783301-01 | 749175-01 | AKM43L-ANCNAB-0F PMSM MOTOR, INTERCONTEC CONNECTOR, BISS ENCODER, FOOD GRADE |
| 783302-01 | 749187-01 | AKM62L-ACC2R-01 PMSM MOTOR, RESOLVER, 24 VDC BRAKE, SHAFT SEAL |
| 783313-01 | 749203-01 | AKM23C-ANG2AB-01 PMSM MOTOR, INTERCONTEC CONNECTORS, 24 VDC BRAKE, BISS SINE ENCODER, SHAFT SEAL |



| | | |
|------------|---|---|
| 783314-01 | 749204-01 | AKM53L- ANG2AB-01 PMSM MOTOR, INTERCONTEC CONNECTORS, 24 VDC BRAKE, BISS SINE ENCODER, SHAFT SEAL |
| 783315-01 | 749205-01 | AKM74Q- ANH2AB-01 PMSM MOTOR, INTERCONTEC CONNECTORS, 24 VDC BRAKE, BISS SINE ENCODER, SHAFT SEAL |
| 783316-01 | 749206-01 | AKM43H- ANG2AB-01 PMSM MOTOR, INTERCONTEC CONNECTORS, 24 VDC BRAKE, BISS SINE ENCODER, SHAFT SEAL |
| 783317-01 | 749207-01 | AKM33C-ANG2AB-01 PMSM MOTOR, INTERCONTEC CONNECTORS, 24 VDC BRAKE, BISS SINE ENCODER, SHAFT SEAL |
| 783327-01 | 156047A-01(Rev A or higher) 156084A-03(Rev A or higher) | CVS I/O ACCESSORY AND 44-PIN HDSUB MALE TO 44-PIN HDSUB FEMALE 3 METER CABLE |
| 783328-01 | 156047A-01 (rev A or higher) 156084A-OR5 (rev A or higher) | CVS I/O ACCESSORY AND 44-PIN HDSUB MALE TO 44-PIN HDSUB FEMALE .5 METER CABLE |
| 783329-10 | 156993A-10(Rev A or higher) | X8 MXI-EXPRESS FIBER CABLE (X4 GEN2 SPEED), 10M |
| 783329-100 | 156993A-100(Rev A or higher) | X8 MXI-EXPRESS FIBER CABLE (X4 GEN2 SPEED), 100M |
| 783337-01 | 749224-01 | AKM24F-ANB2C-00 PMSM MOTOR, 24VDC BRAKE, SFD FEEDBACK |
| 783342-01 | 763990-OR5 | 10 GIGABIT SFP+ ETHERNET CABLE, 0.5M - ETTUS RESEARCH |
| 783343-01 | 763990-01 | 10 GIGABIT SFP+ ETHERNET CABLE, 1 M - ETTUS RESEARCH |
| 783344-01 | 763990-03 | 10 GIGABIT SFP+ ETHERNET CABLE, 3 M - ETTUS RESEARCH |
| 783349-01 | 723535-01 | 12V, 7A USRP POWER SUPPLY |
| 783372-01 | 749246-01 | AKM33H-ANC2C-00 PMSM MOTOR, 24VDC BRAKE, SFD FEEDBACK |
| 783374-01 | 749244-01 | AKM63K-ANC22-00 PMSM MOTOR, 24VDC BRAKE, 2048 LPR COMMUTATING ENCODER |
| 783375-01 | 749245-01 | AKM53M-CNCN2-00 PMSM MOTOR, SMOOTH SHAFT, 2048 LPR COMMUTATING ENCODER |
| 783428-01 | 749311-01 | AKM23F-ANB2C-00 PMSM MOTOR, INTERCONTEC CONNECTORS, 24 VDC BRAKE, SMART FEEDBACK |
| 783434-01 | 749317-01 | AKM22C-ANB2LB-00 BRUSHLESS SERVO, 24 VDC BRAKE, ENDAT ENCODER |
| 783436-01 | 749319-01 | AKM33E-ANC2LB-00 BRUSHLESS SERVO, 24 VDC BRAKE, ENDAT ENCODER |
| 783469-01 | 156923A-01 (Rev A or higher) | CABLE ASSEMBLY, SMA TO SMA, 1M |
| 783480-01 | 748534-01 | 5V GPS ANTENNA, MAGNETIC MOUNT, 5M CABLE WITH SMA – ETTUS RESEARCH |
| 783492-01 | 152117B-01 (Rev B or higher) 740275-01 741802-01 743157-01 | USRP RIO 1U RACK MOUNT (2 USRP RIO DEVICES) |
| 783497-01 | 749391-01 | CAMERA, BASLER ACE, ACA1920-25UM, 1920 X 1080, 25 FPS, MONOCHROME |
| 783498-01 | 749392-01 | CAMERA, BASLER GIGE ACE, ACA1600-60GM, 1600 X 1200, 60 FPS, MONOCHROME |
| 783499-01 | 749393-01 | CAMERA, BASLER ACE, ACA3800-14UM, 3840 X 2748, 14 FPS, MONOCHROME |
| 783500-01 | 749394-01 | CAMERA, BASLER ACE, ACA3800-14UC, 3840 X 2748, 14 FPS, COLOR |
| 783501-01 | 749395-01 | CAMERA, BASLER ACE, ACA4600-10UC, 4608 X 3288, 10 FPS, COLOR |
| 783509-01 | 749398-01 | CAMERA, BASLER GIGE ACE, ACA1600-60GM, 1600 X 1200, 60 FPS, MONOCHROME |
| 783510-01 | 749399-01 | CAMERA, BASLER ACE, ACA1600-60GC, 1600 X 1200, 60 FPS, COLOR |
| 783511-01 | 749400-01 | CAMERA, BASLER ACE, ACA1280-60GM, 1280 X 1024, 60 FPS, MONOCHROME |
| 783512-01 | 749401-01 | CAMERA, BASLER ACE, ACA1280-60GC, 1280 X 1024, 60 FPS, COLOR |
| 783518-01 | 749403-01 | CAMERA, BASLER ACE, ACA1920-25GM, 1920 X 1080, 25 FPS, MONOCHROME |
| 783519-01 | 749404-01 | CAMERA, BASLER ACE, ACA1920-25GC, 1920 X 1080, 25 FPS, COLOR |



| | | |
|-----------|-----------------------------|--|
| 783529-01 | 156361A-01(Rev A or higher) | NI 9978 4-POS GOLD POWER SUPPLY PLUGS (QTY 5) |
| 783538-01 | 157206A-01(Rev A or higher) | VIRTUALBENCH BINDING POST ADAPTER |
| 783565-01 | 764714-01 | VIRTUALBENCH ACCESSORY KIT: 1 DIO CONNECTOR, 1 PWS CONNECTOR, 1 SCREWDRIVER |
| | 764715-01 | |
| 783592-01 | 749503-01 | SMD-7622 STEPPER DRIVE, 120VAC, TWO-PHASE BIPOLAR STEP MOTORS, 0.5-5A/PHASE, ENCODER FEEDBACK |
| 783644-01 | 749539-01 | CAMERA, BASLER SCOUT, SCA1300-32FM 90 DEGREE, 1296 X 966, 32 FPS, MONO, 90 DEGREE HOUSING |
| 783646-01 | 151612A-01(Rev A or higher) | NI PXIE-5667 3.6 GHZ MIMO CABLE KIT |
| | 154048A-01(Rev A or higher) | |
| | 763187-01 | |
| | 763282-07 | |
| 783648-01 | 763199-01 | NI PXIE 5667 MULTI-CHASSIS MIMO CABLE KIT |
| 783654-01 | 749549-01 | VT075-050-0-RM075-40, VALUETRUE HELICAL TRUE PLANETARY GEARHEAD, SIZE 075, 50:1 RATIO, SIZE 075 |
| 783658-01 | 749560-01 | INDUSTRIAL SD CARD,16GB,-40C TO 85C |
| 783660-01 | 156844A-01(Rev A or higher) | SET OF 3 SD SLOT COVERS FOR CDAQ AND CRIO |
| 783661-10 | 749558-01 | ENCODER CABLE, 10FT, JAE CONNECTOR (ENCODER END) TO FLYING LEADS |
| 783668-01 | 749529-01 | Panel Mount Kit, 12 Inch,15 Inch,17 Inch TSM |
| 783669-01 | 749530-01 | Rack Mount Kit, 12 Inch TSM |
| 783670-01 | 749531-01 | Rack Mount Kit, 15 Inch TSM |
| 783671-01 | 749532-01 | Rack Mount Kit, 17 Inch TSM |
| 783672-01 | 749533-01 | Desk Stand, 12 Inch TSM, VESA 100/75MM |
| 783673-01 | 749534-01 | Desk Stand for 15 Inch,17 Inch TSM,VESA 100/75MM |
| 783674-01 | 749535-01 | Desk Mountable ARM for 12 Inch,15 Inch,17 Inch TSM |
| 783675-01 | 749536-01 | Wall Mountable 0 - 90 Degree Adjustable Stand 12 Inch TSM, VESA 75/100 |
| 783705-01 | 749599-01 | AKM22C-CKB2DB00 BRUSHLESS SERVOMOTOR, OPEN KEYWAY, 24 VDC BRAKE, MULTI-TURN ABS ENDAT SINE ENCODER |
| 783706-01 | 749600-01 | AKM31C-CCCNC-00 BRUSHLESS SERVOMOTOR, CLOSED KEYWAY, W/O BRAKE, SMART FEEDBACK |
| 783745-01 | 749604-01 | AKM42J-VBCNC-00 GEARMOTOR, 100MM FRAME, 25:1 RATIO, SFD FEEDBACK |
| 783751-01 | 749633-01 | AKD-P00606-ICEC-0000, ETHERCAT SERVO DRIVE, 6A, 120/240 VAC |
| 783752-01 | 749608-01 | MYPARTS KIT FROM TEXAS INSTRUMENTS |
| 783754-01 | 749663-01 | CAMERA, BASLER ACE, ACA2000-165UC, 2048 X 1088,165 FPS, COLOR |
| 783755-01 | 749664-01 | CAMERA, BASLER ACE, ACA2000-165UC, 2048 X 1088,165 FPS, COLOR |
| 783756-01 | 749665-01 | CAMERA, BASLER ACE, ACA2040-90UM, 2048 X 2048, 90 FPS, MONOCHROME |
| 783757-01 | 749666-01 | CAMERA, BASLER ACE, ACA2040-90UC, 2048 X 2048, 90 FPS, COLOR |
| 783787-01 | 768280-01 | NI 9981, STRAIN RELIEF AND OPERATOR PROTECTION FOR 10-POS SPRING TERM (QTY 1) |
| 783788-01 | 762131-01 | NI 9988D, SOLDER CUP ACCESSORY FOR NI 9218 DSUB (QTY 2) |
| | 762744-01 | |
| 783799-01 | 157824A-01(Rev A or higher) | 2-POS MICRO-FIT PLUG AND CRIMP TERMINAL KIT |
| 783804-01 | 762916-01 | Strain Relief and Operator Protection for 6-POS Screw Term (QTY 2) |
| 783807-01 | 749654-01 | AKM22C-BNB2C-00 BRUSHLESS SERVOMOTOR, NEMA MOUNT, BRAKE, SMART FEEDBACK |
| 783808-01 | 749655-01 | AKM22C-BNBNC-00 BRUSHLESS SERVO, NEMA MOUNT, SMOOTH SHAFT, W/O BRAKE, SMART FEEDBACK DEVICE |
| 783809-02 | 183882-02 | BNC MALE (PLUG) TO BNC MALE (PLUG) 2M CABLES |



| | | |
|------------|-------------|--|
| 783810-01 | 749660-01 | AKM11E-BNMN2-00 BRUSHLESS SERVO, NEMA MOUNT, SMOOTH SHAFT, 0.5 M CABLES, W/O BRAKE, ENCODER |
| 783811-01 | 749662-01 | AKM52K-ANCNR-00 BRUSHLESS SERVO, SMOOTH SHAFT, INTERCONTEC CONNECTORS, RESOLVER |
| 783812-02 | 769008-02 | BNC MALE TO MICROGRABBER CABLE, 87 CM |
| 783813-01 | 698042-8192 | 8 GB UPGRADE/REPLACEMENT RAM FOR PXIE-8880 |
| 783825-01 | 749671-01 | AKM33C-ANGNAB-00 PMSM MOTOR, INTERCONTEC CONNECTORS, BISS SINE ENCODER |
| 783843-01 | 749684-01 | AKD-P300306-NBCC-I000, SERVO DRIVE, 3 A CONTINUOUS OUTPUT, 120/240 VAC 1 PHASE OR 3 PHASE INPUT, ETHERCAT OR CANOPEN |
| 783852-01 | 749690-01 | AKM53Q-ANCNC-00 PMSM MOTOR, SMOOTH SHAFT, DUAL 90° INTERCONTEC CONNECTORS, SFD FEEDBACK |
| 783853-01 | 749691-01 | AKM62Q-ANCNC-00 PMSM MOTOR, SMOOTH SHAFT, DUAL 90° INTERCONTEC CONNECTORS, SFD FEEDBACK |
| 783874-01 | 749695-01 | AKM12C-ANY2C-00 AKM PMSM SMOOTH SHAFT, YTEC CONNECTOR, 24VDC BRAKE, SFD FEEDBACK, NO SHAFT SEAL |
| 783877-01 | 749698-01 | AKM53H-ACCNC-00 PMSM MOTOR, CLOSED KEYWAY, INTERCONTEC CONNECTOR, SFD FEEDBACK |
| 783941-01 | 749728-01 | AKM63G-VBCNC-00 PMSM GEARMOTOR, 25:1 REDUCTION, 90° DUAL INTERCONTEC CONNECTORS, SFD FEEDBACK |
| 783942-01 | 749729-01 | AKD SERIES BRUSHLESS SERVO DRIVE, RATED 6 A CONTINUOUS 240/480 VAC 3 PHASE, WITH ANALOG COMMAND |
| 783957-01 | 749734-01 | NT60-030-0-RM060-6 NEMATRUER GEARHEAD, SIZE 23, 30:1, WITH SIZE 060 REDIMOUNT FOR AKM2XX - AX MOTOR |
| 783960-01 | 749737-01 | AKM12C-AKCNC-00 PMSM MOTOR, INTERCONTEC CONNECTORS, W/O BRAKE, SFD FEEDBACK |
| 783962-01 | 749741-01 | EC2-AKM23D-B2C-2005B-200-MF190-FT1M-C0 ELECTRIC CYLINDER |
| 783965-01 | 749740-01 | AKM44E-BKCNC-00 BLDC MOTOR, INTERCONTEC CONNECTORS, W/O BRAKE, SFD FEEDBACK |
| 783972-01 | 749746-01 | AKM32H-ANCNR-00 BLDC MOTOR, INTERCONTEC CONNECTORS, W/O BRAKE, RESOLVER FEEDBACK |
| 783973-01 | 749747-01 | AKM22E-CKBNC-00 PMSM MOTOR, ALT STD MOUNT, INTERCONTEC CONNECTORS, W/O BRAKE, SFD FEEDBACK |
| 783976-01 | 769041-01 | MINI-SAS HD X4 CABLE, 1M |
| 783977-01 | 769041-03 | MINI-SAS HD X4 CABLE, 3M |
| 783982-01 | 768384-01 | MODULE, SFP+ TRANSCEIVER, 10GB ETHERNET, 850NM MULTIMODE |
| 783988-01 | 749771-01 | AKM33E-CCCNC-00 BLDC MOTOR, INTERCONTEC CONNECTORS, W/O BRAKE, SFD FEEDBACK |
| 783994-01 | 749773-01 | AKM22E-ANB2C-0W PMSM MOTOR, INTERCONTEC CONNECTORS, 24 VDC BRAKE, SMART FEEDBACK, WASHDOWN |
| 783995-01 | 749774-01 | AKM32E-ANC2C-0W PMSM MOTOR, INTERCONTEC CONNECTORS, 24 VDC BRAKE, SMART FEEDBACK, WASHDOWN |
| 783996-01 | 749775-01 | AKM24D-ANB2C-0W PMSM MOTOR, INTERCONTEC CONNECTORS, 24 VDC BRAKE, SMART FEEDBACK, WASHDOWN |
| 784000-01 | 158656A-01 | TRIAxIAL ADAPTER FOR NI SYSTEM SMU |
| 784068-01 | 158588A-01 | SCREW TERMINAL CONNECTOR KIT FOR PXIE-4136/7/8/9 SMUS |
| 784076-01 | 763990-01 | SFP+ CABLE, 1M |
| 784076-03 | 763990-03 | SFP+ CABLE, 3M |
| 784076-0R5 | 763990-0R5 | SFP+ CABLE, 0.5M |
| 784077-01 | 763852-01 | SFP+ 1 GBE KIT |
| 784093-01 | 749840-01 | AKM43E-ANC2C-00 PMSM MOTOR, INTERCONTEC CONNECTORS, 24 VDC BRAKE, SMART FEEDBACK |
| 784098-01 | 749843-01 | AKM65M-ACCNC-00, PMSM MOTOR, CLOSED KEYWAY, W/O SHAFT SEAL, SFD FEEDBACK |
| 784123-01 | 749852-01 | AKM32H-ANC2AB-00 PMSM MOTOR, 24 VDB BRAKE, BISS SINE ENCODER |
| 784136-01 | 611484-01 | EMI SUPPRESSION FERRITE (QTY 1) |
| 784160-01 | 749858-01 | AKM31C-ANDNCA00 BLDC MOTOR, SINGLE INTERCONTEC, W/O BRAKE, SFD GEN3 |
| 784161-01 | 768390-01 | EXTRA POWER CONNECTORS FOR NI 9218 LEMO (QTY 5) |
| 784184-10 | 784184-10 | FIBER CABLE, MULTIMODE, OM3, 10M |
| 784195-01 | 750041A-01 | AKM33C-ANCNC-00 PMSM MOTOR, SMOOTH SHAFT, DUAL 90° INTERCONTEC CONNECTORS, SFD FEEDBACK |



| | | |
|-----------|-----------------------------|--|
| 784218-01 | 750062-01 | AKM23D-CKC2DB-00 PMSM MOTOR, ALT. STD. MOUNT, DUAL INTERCONTEC, 24VDC BRAKE, ENDAT FEEDBACK |
| 784219-01 | 750063-01 | AKM24F-CKC2DB-00 PMSM MOTOR, ALT. STD. MOUNT, DUAL INTERCONTEC, 24VDC BRAKE, ENDAT FEEDBACK |
| 784220-01 | 750064-01 | AKM73P-ANCNC-00 PMSM MOTOR, 90° INTERCONTEC CONNECTORS, SFD FB |
| 784222-01 | 750065-01 | AKM23D-ANCNC-00 PMSM MOTOR, 90° INTERCONTEC CONNECTORS, SFD FB |
| 784243-01 | 750150-01 | AKD-B02406-NBAN-0000 SERVO DRIVE, 24 A \OUTPUT, 240 VAC 3 PHASE INPUT, WITH ANALOG COMMAND |
| 784248-01 | 750154-01 | AKM21E-ANBNC-00+VTR006-101 GEARMOTOR, PRECISION 10:1 RIGHT-ANGLE GEARHEAD, 90° INTERCONTEC, SFD FB |
| 784258-01 | 750174-01 | CAMERA, BASLER ACE, ACA3800-10GM, 3840 X 2748, 10 FPS, MONOCHROME |
| 784259-01 | 750175-01 | CAMERA, BASLER ACE, ACA3800-10GC, 3840 X 2748, 10 FPS, COLOR |
| 784260-01 | 750176-01 | CAMERA, BASLER ACE, ACA645-100UM, 658 X 492, 100 FPS, MONOCHROME |
| 784261-01 | 750177-01 | CAMERA, BASLER ACE, ACA645-100UC, 658 X 492, 100 FPS, COLOR |
| 784283-01 | 750184-01 | AKM43E-ANDNGF00 PMSM, INTL STD MOUNT, NO BRAKE, MULTI-TURN HIPERFACE FEEDBACK |
| 784284-01 | 750185-01 | AKD-P00306-NBCC-1000 SERVO DRIVE, 3.0 A CONT, 120/240 VAC, ETHERCAT/CANOPEN, ITALIAN DOCUMENTATION |
| 784306-01 | 140001B-04L | CDA-2990 8 CHANNEL CLOCK DISTRIBUTION ACCESSORY WITH GPSDO |
| | 158299A-01 | |
| | 723508-01 | |
| | 743149-01 | |
| | 747647-01 | |
| 784365-01 | 159878B-01 | NI 793R PANEL MOUNT ACCESSORY KIT |
| 784576-01 | 769041-0R5 | CABLE ASSEMBLY, MINISAS HD TO MINISAS HD PASSIVE COPPER, 0.5 M |
| 784686-01 | 769170-01 | POWER CORD, 250V, 10A, CHINA |
| 784796-01 | 750509-01 | PXIe AVIONICS INTERFACE MODULE FROM BALLARD, MIL-STD-1553 - 1 CHANNEL (SINGLE FUNCTION) |
| 784797-01 | 750510-01 | PXIe AVIONICS INTERFACE MODULE FROM BALLARD, MIL-STD-1553 - 2 CHANNEL (SINGLE FUNCTION) |
| 784798-01 | 750511-01 | PXIe AVIONICS INTERFACE MODULE FROM BALLARD, MIL-STD-1553 - 4 CHANNEL (SINGLE FUNCTION) |
| 784799-01 | 750512-01 | PXIe AVIONICS INTERFACE MODULE FROM BALLARD, MIL-STD-1553 - 1 CHANNEL (MULTI-FUNCTION) |
| 784800-01 | 750513-01 | PXIe AVIONICS INTERFACE MODULE FROM BALLARD, MIL-STD-1553 - 2 CHANNEL (MULTI-FUNCTION) |
| 784801-01 | 750514-01 | PXIe AVIONICS INTERFACE MODULE FROM BALLARD, MIL-STD-1553 - 4 CHANNEL (MULTI-FUNCTION) |
| 784802-01 | 750506-01 | PXIe AVIONICS INTERFACE MODULE FROM BALLARD, ARINC429 - 8 CHANNEL |
| 784803-01 | 750507-01 | PXIe AVIONICS INTERFACE MODULE FROM BALLARD, ARINC429 - 16 CHANNEL |
| 784804-01 | 750508-01 | PXIe AVIONICS INTERFACE MODULE FROM BALLARD, ARINC429 - 32 CHANNEL |
| 784840-01 | 146330A-01 | FAN TOP KIT FOR RMX-10011 19" RACK, 6-FAN, LOW-POWER (540CFM) |
| 785023-04 | 763071-01 | POWER CORD FOR USRP RIO, EUROPE |
| 785023-10 | 769170-01 | POWER CORD FOR USRP RIO, CHINA |
| 785024-01 | 142933A-01(Rev A or higher) | SCB-100A NOISE REJECTING, SHIELDED I/O CONNECTOR BLOCK |
| | 740732-01 | |
| | 740911-01 | |
| | 741514-01 | |
| | 745444-01 | |
| | 760832-01 | |
| | 764482-01 | |
| | 764483-01 | |
| | 772164-02 | |
| | 745047-01 | |
| 747647-01 | | |



| | | |
|-----------|---|---|
| | 745362-01 | |
| | 745417-01 | |
| 785074-01 | 750747-01 | AKM24F-BNDNCA-00 MOTOR, SFDGEN3, NEMA MOUNT |
| 785075-01 | 750748-01 | AKM33H-ANDNCA-00 MOTOR, SFDGEN3 |
| 785080-01 | 141954A-01 | NI 9940 BACKSHELL FOR 36-POS SPRING TERMINAL CONNECTOR BLOCK (QTY 1) |
| 785084-06 | 763187-06 | CABLE ASSY,SMA-SMA,M/M,SHELL,BLUE FEP JACKET,6" |
| 785084-08 | 763187-08 | CABLE ASSY,SMA-SMA,M/M,SHELL,BLUE FEP JACKET,8" |
| 785084-12 | 763187-12 | CABLE ASSY,SMA-SMA,M/M,SHELL,BLUE FEP JACKET,12" |
| 785084-18 | 763187-18 | CABLE ASSY,SMA-SMA,M/M,SHELL,BLUE FEP JACKET,18" |
| 785084-24 | 763187-24 | CABLE ASSY,SMA-SMA,M/M,SHELL,BLUE FEP JACKET,24" |
| 785084-28 | 763187-28 | CABLE ASSY,SMA-SMA,M/M,SHELL,BLUE FEP JACKET,28" |
| 785085-01 | 612271-01 | ATTENUATOR,COAXIAL,3DB,SMA SS,DC-18GHZ,2W,50 OHM |
| 785086-01 | 612272-01 | ATTENUATOR,COAXIAL,5DB,SMA SS,DC-18GHZ,2W,50 OHM |
| 785087-01 | 749842-01 | SPLITTER MODULE, 1X4, FOR 4 CHANNEL PXIE-5668R MIMO KIT |
| 785088-01 | 158813A-01(Rev A or higher) | SPLITTER MODULE, 1X2, FOR 2 CHANNEL PXIE-5668R MIMO KIT |
| | 749832-01 | |
| 785089-01 | 155082B-01 | CABLE ASSY, SMA-SMA, RF-OUT 5654 TO RF AMP-IN, PXIE-5696 |
| 785090-01 | 157672A-05(Rev A or higher) | CABLE, SMB-SMB, ALC IN PXIE-5654 TO ALC OUT PXIE-5696 |
| 785198-01 | 755301-960 | 960 GB 1.8 IN. SATA SSD UPGRADE FOR PXIE-8880 |
| 785206-01 | 144185A-01 | SLSC FRONT PANEL FILLER KIT (X4) |
| 785207-01 | 144186A-01 | SLSC REAR PANEL FILLER KIT (X4) |
| 785211-01 | 750889-01 | AKM24D-BNG2C-00 SERIES BRUSHLESS SERVOMOTOR |
| 785212-01 | 750890-01 | AKM24D-BNGNC-00 BRUSHLESS SERVOMOTOR |
| 785293-01 | 141868A-01 190303B-02 | SLUGGER RACKMOUNT FRONT AND REAR |
| 785379-01 | 148213A-01L | RTI-12307: REAR TRANSITION INTERFACE FOR GENERIC DIO/AO/AI WITH MDR HEADERS |
| 785486-01 | 143340A-01 143426A-01 147052A-01 781233-02 | CABLE KIT, OCULINK X4, 1M |
| 785493-01 | 763830-01 | MMWAVE SYSTEM - US POWER CORD (120VAC) |
| 785513-01 | 142071A-05 | 3U FILLER PANELS FOR RMX-10011 19" RACK, QTY 3 |
| 785550-01 | 143191A-01 | MXI-EXPRESS CABLE, GEN 3 X8, COPPER, 1M |
| 785550-03 | 143191A-03 | CABLE ASSEMBLY, MXI-EXPRESS, GEN 3 X8, 3M |
| 785599-01 | 143714D-01 | CABLE ASSEMBLY, UPS, EPO, BYO ATE |
| | 144980A-01 | RAIL KIT, MODIFIED, 19 INCH, APC SRTRK4 UPS |
| | 146122A-01 | ASSY, CABLE, GND, 10-32 RING TERMINALS, 10AWG, 1M |
| | 146504A-01 | CABLE ASSEMBLY, THERMOSTAT TO THERMOSTAT, BYO ATE |
| | 720411-01 | THERMOSTAT, MANUAL RESET, OPEN 80C, B-203S MOUNTING HARDWARE, T-147 TERMINALS |
| 785602-01 | 142071A-06(Rev A or higher) | 3U MONITOR ADJUSTABLE MOUNTING ARM |
| 785607-02 | 145763A-02 | THUNDERBOLT 3 TYPE-C CABLE, ACTIVE 40 GBPS, 3A, 2M |
| 785608-02 | 145762A-02 | THUNDERBOLT 3 TYPE-C CABLE, PASSIVE 20 GBPS, 3A, 2M |
| 785631-01 | 146122A-01 | GROUNDING CABLE, 1M |
| 785631-02 | 146122A-02 | GROUNDING CABLE, 2M |
| 785633-01 | 740400-01 | VHDCI CONNECTOR, 68-PIN, R-ANGLE, THROUGH HOLE MOUNT |



| | | |
|-----------|-----------------------------|---|
| | 743042-01 | |
| | 773138-01 | |
| 785634-01 | 740400-01 | VHDCI CONNECTOR, DUAL STACK, 68-PIN, R-ANGLE, THROUGH HOLE MOUNT |
| | 743042-01 | |
| | 771773-01 | |
| 785753-01 | 771492-01 | VHDCI CONNECTOR, 68-PIN, VERTICAL, THROUGH HOLE MOUNT |
| | 743042-01 | |
| | 740400-01 | |
| 785805-01 | 145126A-01 | BALLAST PLATE FOR RMX-10011 19" RACK |
| 785821-01 | 143597A-04 | USRP E310/E312/E313 JTAG/AVR INTERFACE CABLE ACCESSORY KIT 4" |
| | 146878A-01 | |
| | 146880A-01 | |
| | 146881A-01 | |
| 785827-01 | 140166A-01 | USRP B200MINI SERIES JTAG/FX3 ARM INTERFACE CABLE ACCESSORY KIT 4" |
| | 143598A-04 | |
| | 146878A-01 | |
| | 146879A-01 | |
| 785902-01 | 751716-01 | BASLER ACE, ACA1920-40GM, 1920 X 1200, 40 FPS, MONOCHROME |
| 785984-01 | 146989A-01 | ADAPTER MOUNT FOR THE NI-9145 TO MATCH THE MOUNTING HOLES OF THE NI-9144 |
| 786139-01 | 754022-01 | FOREIGN OBJECT KIT |
| 786186-01 | 147560A-01(Rev A or higher) | RACKMOUNT KIT FOR RMX-410X 2U DC POWER SUPPLIES |
| 786199-02 | 763576-02 | MMPX (M) TO SMA (M) - 2 METER LENGTH SINGLE CABLE |
| 786201-02 | 763576-02 | MMPX (M) TO SMA (M) - 2 METER - PHASE MATCHED - DIFFERENTIAL I/Q SET (X4) |
| 786257-01 | 148420A-01 | COAXIAL CABLE SMB-SMB 1M RG 174 50 OHMS |
| 786324-02 | 148002A-02 | FAN REPLACEMENT KIT FOR PXIE-1084 CHASSIS |
| | 740972-01 | |
| | 741208-02 | |
| | 741520-01 | |
| | 743132-01 | |
| 786334-01 | 146502A-02 | PXI SINGLE SLOT MECHANICAL STARTER KIT (PACK OF 25) |
| | 147460A-01 | |
| | 150732A-01 | |
| 786335-01 | 143426A-01 | SCB-8 NOISE REJECTING, SHIELDED NANO-PITCH CONNECTOR BLOCK |
| | 141180A-01L | |
| 786338-01 | 750049-01 | SPARE KIT, CASTER, 3 IN, T2 |
| 786341-01 | 152678A-01 | SHIELDED CABLE FOR PXIE-4330 AND PXIE-4331 TO RACKMOUNT TERMINAL BLOCK, 1 METER |
| | 158940A-01 | |
| 786358-01 | 723594-01 | MP007 POWER SUPPLY |
| 786364-01 | 146502A-02 | PXI SINGLE SLOT MECHANICAL STARTER KIT |
| | 147460A-02 | |
| | 150732A-01 | |
| 786371-01 | 147783A-01 | 18-SLOT CHASSIS FRONT RACK MOUNT KIT, EXTENDED RECESS |
| 786372-01 | 147784A-01 | 18-SLOT CHASSIS REAR RACK MOUNT KIT, EXTENDED RECESS |
| 786377-01 | 769525-01 | POWER CORD, AC, JAP, 125VAC, 12A |
| 786380-03 | 769430-01 | DISPLAY PORT PANEL-MOUNT EXTENSION CABLE, 3FT |



| | | |
|-----------|------------------------------|---|
| 786385-01 | 146927A-01 | UBX DAUGHTERBOARD CPLD JTAG CABLE ACCESSORY KIT 24" |
| 786386-01 | 143426A-01(Rev A or higher) | VRTS CABLE KIT, BASE CONFIGURATION, 1 OBJECT |
| | 146724A-OR3(Rev A or higher) | |
| 786387-01 | 143045A-OR25 | VRTS CABLE KIT, ADD-ON VDG, 1 PER OBJECT 2-4 |
| | 146700A-01 | |
| | 146701A-01 | |
| 786388-01 | 143426A-01 | VRTS CABLE KIT, ADD-ON VST, 3RD OBJECT |
| | 146724A-OR3 | |
| 786423-01 | 146238A-01 | CABLES FOR CONNECTION CTS II FOR EMV/NFC 9079505 |
| 786431-01 | 147622A-01 | NI-9963, BACKSHELL FOR 28 POS SPRING TERMINAL (QTY 1) |
| 786443-01 | 147831A-01 | FD-11960, DIN RAIL MOUNT KIT FOR FIELDDAQ |
| 786453-01 | 146502A-02 | PXI SINGLE SLOT MECHANICAL STARTER KIT |
| | 147460A-01 | |
| | 150732A-01 | |
| 786454-01 | 146502A-02 | PXI 2-SLOT MECHANICAL STARTER KIT |
| | 147460A-02 | |
| | 150732A-01 | |
| 786495-01 | 754058-01 | QI COIL TPR CAL |
| 786533-01 | 754267-01 | RACKMOUNT KIT FOR RMX-400X DC ELECTRONIC LOADS, HOLDS ONE MAINFRAME |
| 786639-01 | 148210A-01L | TB-12397: 8 A FIU TERMINAL BLOCK WITH HD 44 CONNECTOR FOR USE WITH THE SLSC-12251 |
| 786640-01 | 148210A-02L | TB-12396: 8 A FIU TERMINAL BLOCK FOR USE WITH SLSC-12251 |
| 786651-01 | 146831B-01L | ISO REFERENCE PICC FOR QI TESTING (40X40, 80 LOOPS) |
| 786668-02 | 148597A-02 | SHDB9M-DB9F-BNCM, CURRENT TRANSDUCER SHIELDED 9-PIN D-SUB CABLE WITH BNC, 2 M |
| 786668-03 | 148597A-03 | SHDB9M-DB9F-BNCM, CURRENT TRANSDUCER SHIELDED 9-PIN D-SUB CABLE WITH BNC, 3 M |
| 786668-05 | 148597A-05 | SHDB9M-DB9F-BNCM, CURRENT TRANSDUCER SHIELDED 9-PIN D-SUB CABLE WITH BNC, 5 M |
| 786684-04 | 143045A-04 | VRTS CABLE - MINI-HDMI TO MINI-HDMI, 4 METERS |
| 786685-01 | 100413A-01 | VRTS 90 DEG WR-12 WAVEGUIDE TWIST KIT |
| | 148649A-01 | |
| | 741058-01 | |
| 786713-01 | 144864A-01 | COAXIAL CABLE SMB - SMA -0.5M |
| 786714-01 | 144862A-01 | COAXIAL CABLE BNC M / SMA M - 0.5 M |
| 786715-01 | 145587A-01 | COAXIAL CABLE BNC / SMB -0.5M |
| 786716-01 | 144769D-01L | NFC 8 SHAPED COIL FOR CTS |
| 786726-01 | 144863A-01 | COAXIAL CABLE SMB F / SMA M - 0.25 M |
| 786727-01 | 144865A-01 | COAXIAL CABLE BNC F / SMA M - 0.5 M |
| 786728-01 | 144866A-01 | CABLE HE10 / HE10 - 4 CM |
| 786729-01 | 144867A-01 | LMA BOARD POWER SUPPLY CABLE |
| 786730-01 | 144868A-01 | COAXIAL CABLE BNC M / SMA M - 0.75M |
| 786731-01 | 144869A-01 | COAXIAL CABLE BNC M/SMB F -0.25M |
| 786732-01 | 144870A-01 | COAXIAL CABLE SMB F / SMB F-0.25M VERSION C |
| 786733-01 | 144871A-01 | COAXIAL CABLE BNC M / SMA M -0.25M |
| 786734-01 | 144872A-01 | POWER CABLE FOR CMR |
| 786735-01 | 144893A-01 | CABLE HE10-HE10 10 POINTS -0.6M |
| 786768-01 | 763551-01 | LOOPBACK CONNECTOR SET |
| 786775-01 | 754225-512 | SPARE 512 GB NVME SOLID STATE DRIVE, M.2, 80 MM |



| | | |
|------------|--------------|---|
| 786777-01 | 680721-8192 | 8 GB DDR SO-DIMM RAM, NON-ECC |
| 786819-02 | 754304-01 | RS-232 RJ45 TO DB9 SERIAL CABLE FOR RMX POWER SUPPLY CONTROL, 2M |
| 786820-02 | 754305-01 | RS-485 RJ45 TO DB9 SERIAL CABLE FOR RMX POWER SUPPLY CONTROL, 2M |
| 786879-02 | 148686A-02 | SHDB9M-DB9F, CURRENT TRANSDUCER SHIELDED 9-PIN D-SUB CABLE, 2 M |
| 786879-03 | 148686A-03 | SHDB9M-DB9F, CURRENT TRANSDUCER SHIELDED 9-PIN D-SUB CABLE, 3 M |
| 786879-05 | 148686A-05 | SHDB9M-DB9F, CURRENT TRANSDUCER SHIELDED 9-PIN D-SUB CABLE, 5 M |
| 786894-01 | 754431-01 | FD-11954, IP67, 4 PIN M12 FEMALE (STRAIGHT) FIELD SERVICEABLE CONNECTOR, IDC |
| 786895-01 | 754430-01 | IP67, SHIELDED 4 PIN A-CODE M12 FEMALE (STRAIGHT) TO PIGTAIL, 1M FOR FIELDDAQ |
| 786895-03 | 754430-03 | IP67, SHIELDED 4 PIN A-CODE M12 FEMALE (STRAIGHT) TO PIGTAIL, 3M FOR FIELDDAQ |
| 786895-0R3 | 754430-0R3 | IP67, SHIELDED 4 PIN A-CODE M12 FEMALE (STRAIGHT) TO PIGTAIL, 0.3M FOR FIELDDAQ |
| 786910-01 | 723633-01 | POWER SUPPLY, 24 V, 2.5 A, 100-120/200-240 VAC INPUT, DIN RAIL |
| 786911-01 | 754349-01 | FLAT BLADE SCREWDRIVER FOR WIRELESS MONITORING DEVICES SPRING TERMINALS, 2.5 MM |
| 786913-01 | 754491-01 | INDUSTRIAL MICROSD CARD, 16GB, -40 TO 85C |
| 786915-01 | 147221A-01 | RELAY REPLACEMENT KIT,UMS05-BV51338,3W REED,QTY:10 |
| 786947-01 | 763187-12 | MMWAVE VST - IF CABLE BUNDLE FOR MFG |
| | 763377-01 | |
| | 763577-0R152 | |
| | 786199-0R152 | |
| 786969-01 | 130060A-01 | PXIE-1092 CHASSIS FRONT RACK MOUNT KIT, EXTENDED RECESS |
| 786970-01 | 130065A-01 | PXIE-1092 CHASSIS REAR RACK MOUNT KIT, EXTENDED RECESS |
| 786978-01 | 148572A-0R15 | MINI-HDMI BREAKOUT CABLE TO 4 BNC FOR PFI 0-3, 15 CM |
| 786979-01 | 148382A-0R15 | MINI-HDMI BREAKOUT CABLE TO 6 BNC FOR CLK IN, CLK OUT, AND PFI 0-3, 15 CM |
| 786989-01 | 754586-01 | INDUSTRIAL MICROSD CARD, 32GB, -40 TO 85C |
| 786996-01 | 754715-01 | DENSO ROBOT 5 AXIS (ACCESSORY KIT ONLY) |
| 786997-01 | 130471A-01 | DENSO ROBOT 5 AXIS (ENCLOSURE ONLY) |
| 787002-01 | 720411-01 | SAFETY THERMOSTAT SPARE FOR ATE CORE CONFIGURATIONS |
| 787004-01 | 762979-01 | 3-POS, SCREW TERMINAL CONNECTOR, PITCH 5.08MM (QTY 5) |
| 787005-01 | 771747-01 | 2-POS, SPRING TERM CONNECTOR PLUG, 3.5MM PITCH (QTY 4) |
| 787008-01 | 754562-01 | FIELDDAQ M12 TORQUE WRENCH, USED FOR HIGH VOLTAGE I/O CONNECTION |
| 787032-01 | 130331A-01 | MICROBOT ANTENNA HOLDERS FOR NFC FORUM ANTENNAS |
| | 130332A-01 | |
| 787037-01 | 148939A-01 | IP67, SHIELDED 5 PIN A-CODE M12 MALE (STRAIGHT) TO BNC, 1M FOR FIELDDAQ |
| 787037-03 | 148939A-03 | IP67, SHIELDED 5 PIN A-CODE M12 MALE (STRAIGHT) TO BNC, 3M FOR FIELDDAQ |
| 787037-0R3 | 148939A-0R3 | IP67, SHIELDED 5 PIN A-CODE M12 MALE (STRAIGHT) TO BNC, 0.3M FOR FIELDDAQ |
| 787038-01 | 148948A-01 | IP67, SHIELDED 5 PIN A-CODE M12 MALE (RIGHT ANGLE) TO BNC, 1M FOR FIELDDAQ |
| 787038-03 | 148948A-03 | IP67, SHIELDED 5 PIN A-CODE M12 MALE (RIGHT ANGLE) TO BNC, 3M FOR FIELDDAQ |
| 787045-01 | 765429-01 | 15 PIN DSUB UNSHIELDED SCREW TERMINAL BREAKOUT |
| 787046-01 | 144783A-01 | RACKMOUNT KIT FOR MOXA 205A-T |
| | 144784A-01 | |
| | 147315A-01 | |
| | 740004-01 | |
| | 740404-01 | |
| | 741802-01 | |
| | 743142-01 | |
| 787051-01 | 130445A-01 | PXI CHASSIS SIDE HANDLE AND 1-INCH RUBBER FEET KIT |
| 787057-01 | 769493-01 | CABLE USB TYPE C WITH RETENTION TO TYPE A 3.1 PLUG, 1M |



| | | |
|------------|-------------|---|
| 787058-01 | 754602-01 | BASLER ACE, ACA720-290GC, GIGE, 0.3 MP, 290 FPS, COLOR |
| 787083-01 | 751824-480 | DISK DRIVE,480 GB,1.8-INCH MICRO-SATA, SOLID-STATE DRIVE,MLC |
| 787104-01 | 130346A-01 | NI-9962, 3-PIN 3.5MM PUSH-IN SPRING TERMINAL BLOCK PLUG, QTY 4, WITH 26 AWG FERRULES, QTY 20 |
| | 771931-01 | |
| 787107-01 | 771821-01 | SP18M MALE CONNECTOR WITH BACKSHELL |
| 787108-01 | 130233A-01 | CABLE, 3POS B2CF OMNIMATE TO PIGTAIL, AUTOMOTIVE ETHERNET, UNSHIELDED, 1M |
| 787108-05 | 130233A-05 | CABLE, 3POS B2CF OMNIMATE TO PIGTAIL, AUTOMOTIVE ETHERNET, UNSHIELDED, 5M |
| 787109-15 | 130339A-01 | CABLE, PIGTAIL TO PIGTAIL, AUTOMOTIVE ETHERNET, UNSHIELDED, 15M |
| 787123-01 | 154604B-01 | 2-POS MICROFIT TO JACKETED PIGTAIL POWER CABLE, 1M |
| 787136-01 | 131096A-01 | CUSTOM, PXIE-1092 CHASSIS FRONT RACK MOUNT KIT, EXTENDED RECESS, FRONT EXTENDING |
| 787139-01 | 771772-01 | SP8 CABLE CONNECTORS MALE AND FEMALE (WITH CONTACTS) |
| | 771785-01 | |
| | 771822-01 | |
| | 771825-01 | |
| 787140-01 | 771771-01 | SP 18 CABLE CONNECTORS MALE AND FEMALE (WITH CONTACTS) |
| | 771774-01 | |
| | 771818-01 | |
| | 771821-01 | |
| 787141-01 | 771818-01 | SP 18 CABLE CONNECTOR FEMALE |
| 787142-01 | 771822-01 | SP8 CABLE CONNECTOR MALE |
| 787143-01 | 771825-01 | SP8 CABLE CONNECTOR FEMALE |
| 787144-01 | 771771-01 | SP18 CABLE CONNECTOR CONTACTS FEMALE (20) |
| 787145-01 | 771774-01 | SP18 CABLE CONNECTOR CONTACTS MALE (20) |
| 787146-01 | 771785-01 | SP8 CABLE CONNECTOR CONTACTS MALE (20) |
| 787147-01 | 771772-01 | SP8 CABLE CONNECTOR CONTACTS FEMALE(20) |
| 787154-01 | 147202A-01 | CABLE DENSO RC8 CONTROLLER TO TEST HEAD CONTROLLER |
| 787156-01 | 754656-01 | RMX-400X FRAME LINK CABLE |
| 787179-01 | 748615-01 | AXIAL FAN EBM-PAPST 252H-10,10-14VDC,ETTUS NI X3XX |
| 787180-01 | 149023A-01 | USRP 2974 RACK MOUNT |
| | 743598-01 | |
| 787198-01 | 769698-01 | POWER CORD, AC, IEC C19, TAIWAN (15A/250V), 2.5M |
| 787213-01 | 769693-01 | COMPACT SYNCHRONIZATION INTERFACE CABLE, 100MM |
| 787214-01 | 147008A-01L | COMPACT SYNCHRONIZATION INTERFACE TO RTSI ADAPTER |
| 787230-OR2 | 131077A-OR2 | HD BNC MALE TO BNC FEMALE CABLE, 50 OHM, 20 CM |
| 787259-01 | 769560-01 | STORM FLEX 086, 2.92MM JACK TO SMP BULKHEAD PLUG LD , 1 METER, +/- 1.5PS |
| 787331-01 | 131366A-01 | THERMAL KIT FOR SBRIO-9603/08/09/28/29/38 |
| | 130504B-01 | |
| 787368-01 | 142927B-03L | DEBUG TOOLS FOR FLEXRIO MODULE DEVELOPMENT, INTEGRATED SERIAL, EXTENDER CARD AND IO MEZZANINE |
| 787525-01 | 132355A-01 | RACK MOUNT KIT FOR PXIE-1088 |
| 788163-01 | 130057B-01L | OUTPUT NOISE FILTER FOR PXIE-416X |
| 788790-01 | 136532A-01L | CALIBRATION FIXTURE, CAL-7890/7891, PXIE-7890 AND PXIE-7891 SIGNAL LEVEL HIL FPGA |