

COMPREHENSIVE SERVICES

We offer competitive repair and calibration services, as well as easily accessible documentation and free downloadable resources.

SELL YOUR SURPLUS

We buy new, used, decommissioned, and surplus parts from every NI series. We work out the best solution to suit your individual needs.

 Sell For Cash  Get Credit  Receive a Trade-In Deal

OBSOLETE NI HARDWARE IN STOCK & READY TO SHIP

We stock **New**, **New Surplus**, **Refurbished**, and **Reconditioned** NI Hardware.



Bridging the gap between the manufacturer and your legacy test system.

 1-800-915-6216

 www.apexwaves.com

 sales@apexwaves.com

All trademarks, brands, and brand names are the property of their respective owners.

Request a Quote

 **CLICK HERE**

SHB12X-B12X



Declaration of Conformity

According to ISO/IEC 17050-1: 2010

Manufacturer Name: National Instruments Corp.
Address: 11500 North MoPac Expressway
Austin, Texas, 78759 USA
Web: www.ni.com/certification

We hereby declare under our sole responsibility that the following apparatus:

Product Description: CABLES, ACCESSORIES, & PERIPHERALS
Model Number(s): SEE LIST IN TABLE STARTING ON PAGE 2
Product Category: SEE LIST IN TABLE STARTING ON PAGE 2

Complies with the essential requirements of the following applicable European Directives:

RoHS Directive 2011/65/EU

Conformity is assessed in accordance to the following standards:

Environmental Affairs: Articles manufactured on or after the Date of Issue of this Declaration of Conformity do not contain any of the restricted substances in concentrations/applications not permitted by the RoHS Directive.

August 20, 2020, Austin, Texas USA

Date and Place of Issue

Dany Cheij, Global Product & Trade Compliance Manager



Table 1 – RoHS-Compliant Cables, Accessories, & Peripherals

| Kit Part Number | Component/Assy. Part Number(s) | Description |
|-----------------|-------------------------------------|--|
| e.g., 1xxxxx-xx | e.g., 1xxxxxX-xx (rev. X or higher) | Description of RoHS-compliant product (shipping kit) |
| 192344-01 | 192344A-01 | SHB12X-B12X, SHIELDED CABLE, LVDS, 1 METER |
| 196284-04 | 196284A-04 | Cable Assy IEEE 1394A to 1394B, 4 M |
| 196304-30 | 196304A-30 | Kit, GPS Antenna, Bullet III |
| 196647-01 | 196647A-01 | Cable Gland Replacement Pack, Elastomer, 4 Assorted Split and 2 Solid |
| 196650-05 | 196650A-05 | Ethernet Cable, Sealed Circular Plug to RJ45, 5M |
| 197210-OR3 | 197210A-OR3 | Mini-75 Ohm SMB Plug to Type F Female, 0.3M |
| 197516-01 | 197516A-01 | 4x Infiniband to 4x Infiniband Cable, 1M, For NI 449x and BNC-2144 |
| 197516-02 | 197516A-02 | 4x Infiniband to 4x Infiniband Cable, 2M, For NI 449x and BNC-2144 |
| 197818-05 | 197818A-05 | NI 17XX Pigtail Breakout Cable |
| 198303-01 | 198303A-01 | PC-MF4-Y Power Cable C Series Microfit Y-Adapter, Male to 2 Female, .2M |
| 199022-02 | 199022A-02 | 10P10C-DE9M-TS SERIAL CABLE, 10-POS PLUG TO DE9-M JACKSCREWS, 2M |
| 776784-05 | 182444-01 182323E-05 | TYPE SH6850 68 TO 50 PIN SHIELDED CABLE,5M |
| 776842-01 | 180524-10 | R6850 68-50 PIN RIBBON CBL 1M |
| 777163-01 | 182801A-001 | MXI-2 TYPE M1,1M |
| 777163-04 | 182801A-004 | MXI-2 TYPE M1,4M |
| 777166-01 | 182804A-001 | MXI-2 TYPE M4,1M |
| 777720-01 | 182444-01 185319B-01 | CABLE ASSY KIT, SH5050 SHIELDED CABLE, 1 METER |
| 777720-02 | 182444-01 185319B-02 | CABLE ASSY KIT, SH5050 SHIELDED CABLE, 2 METER |
| 779473-01 | 192516C-01 | NI 9901 DESKTOP MOUNTING KIT |
| 780151-01 | 765381-01 | Spare Power and Motor Connectors for P7000 Stepper Drives |
| 780553-01 | 765530-01 198507A-01 | NI 951X Cable and Terminal Block Bundle |
| 781384-01 | 747388-01 | Quanser QNET MYOELECTRIC Board for NI ELVIS |
| 781529-06 | 763178-01 | VF-DA0474N-06 SMART FEEDBACK CABLE, AKM MOTOR TO AKD DRIVE, 6M |
| 781723-01 | 151092A-01 152110A-01 | NI 9925, OUTDOOR ENCLOSURE FOR NI CDAQ-9181/91 |
| 781763-01 | 769032-01 | X16 MXI-Express Cable, 1M |
| 781763-03 | 763134-03 | X16 MXI-Express Cable, 3M |
| 781822-01 | 152541A-01L | NI 9930Y, Motion Control Accessory, NI 9512 to Yaskawa Servo Drives |
| 781823-01 | 152454A-01L | NI 9930P, Motion Control Accessory, NI 9512 to Panasonic Servo Drives |
| 781824-01 | 152457A-01L | NI 9930M, Motion Control Accessory, NI 9512 to Mitsubishi Servo Drives |
| 781965-03 | 748092-01 | AKM211-ANMN2-02 BLDC Motor, 3270 RPM@24VDC, 0.197NM |
| 781988-01 | 152829A-01(Rev A or higher) | Desktop Mounting Kit for COMPACTRIO 908X Systems |
| 782084-01 | 748192-01 | AKM24D-ASB2C-02 BLDC Motor, 3/8" Shaft and 1" Shaft Length |
| 782130-001 | 763318-01 | Motor Power Cable w/Brake, AKM Motor to AKD Drive, 1M |
| 782130-03 | 763372-03 | Motor Power Cable w/Brake, AKM Motor to AKD Drive, 3M |
| 782337-06 | 763343-06 | Flex Motor Power Cable w/Brake, AKM Motor to AKD Drive, 6M |
| 782337-10 | 749249-01 | CP-507CDAN-10-0, MOTOR POWER CABLE, AKM MOTOR TO AKD DRIVE, 10M |
| 782337-20 | 763969-01 | CP-507CDAN-20-0, MOTOR POWER CABLE, AKM MOTOR TO AKD DRIVE, 20M |
| 782339-06 | 763362-06 | Flex Motor Power Cable, AKM Motor to AKD Drive, 6M |
| 782347-06 | 763393-06 | Flex Motor Power Cable w/Brake, AKM Motor to AKD Drive, 6M |
| 782347-20 | 763649-01 | CP-508EDBN-20-0, FLEX MOTOR POWER CABLE WITH BRAKE, AKM MOTOR TO AKD DRIVE, 20M |
| 782365-01 | 748431-01 | AKM21C-CKC2C-00 PMSM Motor AC Servo with SFD Feedback, Brake |
| 782411-01 | 748436-01 | CS-Mount Spacer for IP Cameras |
| 782477-01 | 775337-01 | 3 DOF Gyro Experiment, 4 Sensed add Actuated Axes, Documented System Parameters and Control VIS |
| 782478-01 | 748509-01 | 3 DOF HELICOPTER EXPERIMENT, YAW AXIS SLIP RING, DOCUMENTED SYSTEM PARAMS AND CONTROL VIS |
| 782479-01 | 775338-01 | Active Suspension Experiment, Adjustable Mass & Stiffness, ABET-Aligned Lab Teaching Materials and VIS |



| Kit Part Number | Component/Assy. Part Number(s) | Description |
|-----------------|-------------------------------------|--|
| e.g., 1xxxxx-xx | e.g., 1xxxxxX-xx (rev. X or higher) | Description of RoHS-compliant product (shipping kit) |
| 782481-01 | 775335-01 | 4 Channel Linear Current Amplifier, 3.5A, 27V Continuous, Current Sense, Over-Heat/Current Indication |
| 782482-01 | 775329-01 | Ball and Beam Module, Variable Resistance POS Feedback, ABET-Aligned Lab Teaching Materials and VIS |
| 782483-01 | 748513-01 | COUPLED WATER TANK EXPERIMENT, 2-TANK CONFIGURATION, DOCUMENTED SYSTEM PARAMS AND CONTROL VIS |
| 782484-01 | 748514-01 | DOUBLE INVERTED PENDULUM MODULE FOR IP02, DOCUMENTED SYSTEM PARAMS AND CONTROL VIS |
| 782485-01 | 748515-01 | DOUBLE INVERTED PENDULUM MODULE FOR SRV02-ET, DOCUMENTED SYSTEM PARAMS AND CONTROL VIS |
| 782486-01 | 775330-01 | Rotary Flexible Link Module, Strain Gage Flex Sense, ABET-Aligned Lab Teaching Materials and VIS |
| 782487-01 | 748516-01 | FLEXIBLE INVERTED PENDULUM MODULE FOR IP02 BASE, DOCUMENTED SYSTEM PARAMS AND CONTROL VIS |
| 782488-01 | 748517-01 | GYRO / STABLE PLATFORM MODULE FOR SRV02-ET, ABET-ALIGNED LAB TEACHING MATERIALS AND VIS |
| 782489-01 | 775331-01 | Linear Motion Servo Plant with Inverted Pendulum Module, ABET-Aligned Lab Teaching Materials and VIS |
| 782490-01 | 748518-01 | LINEAR FLEXIBLE JOINT MODULE FOR THE IP02, OPT. ENCODER, ABET-ALIGNED LAB TEACHING MATERIALS AND VIS |
| 782491-01 | 748519-01 | LINEAR FLEXIBLE JOINT PENDULUM MODULE FOR THE IP02, ABET ALIGNED LAB TEACHING MATERIALS AND VIS |
| 782492-01 | 748520-01 | MAGNETIC LEVITATION EXPERIMENT, OUTPUT CURRENT SENSE, DOCUMENTED SYSTEM PARAMS AND CONTROL VIS |
| 782493-01 | 775328-01 | NI-M and X-Series Terminal Board for Rapid Control Prototyping, 2 AO, 8 AI, 4 ENC IN, 8 DIO |
| 782494-01 | 775325-01 | Q2 USB DAQ for Real-Time Controls, 2X12BIT ADC, 2X12BIT DAC, 2XENCODER IN, 2XPWM, 8 DIO |
| 782495-01 | 748521-01 | Q8 USB DAQ FOR REAL-TIME CONTROLS, 8X(12BIT ADC, 12BIT DAC, ENCODER IN, PWM, DI, DO), TERMINAL BOARD |
| 782496-01 | 748522-01 | QPID REAL-TIME MEASUREMENT AND CONTROL DAQ, 8X(16BIT ADC, 16BIT DAC, ENC IN, PWM) 56 DIO, SPI |
| 782497-01 | 748523-01 | QPIDE REAL-TIME MEASUREMENT AND CONTROL DAQ, 8X(16BIT ADC, 16BIT DAC, ENC IN, PWM) 56 DIO, SPI |
| 782498-01 | 775332-01 | Rotary Flexible Joint Module, Adjustable Spring Stiffness, ABET Aligned Lab Teaching Materials and VIS |
| 782499-01 | 775333-01 | Self-Erecting Rotary Inverted Pendulum Module, ABET-Aligned Lab Teaching Materials and VIS |
| 782500-01 | 748524-01 | SEESAW MODULE FOR IP02, HIGH RES ENC, ANTI-BACKLASH GEARS, DOCUMENTED SYSTEM PARAMS AND CONTROL VIS |
| 782502-01 | 775327-01 | Rotary Servo Experiment, DC Gear-Motor, Encoder, Tach, ABET-Aligned Lab Teaching Materials and VIS |
| 782503-01 | 775334-01 | Remote Ball Sensor Module for BB01, ABET-Aligned Lab Teaching Materials and VIS |
| 782504-01 | 748529-01 | Rotary Flexible Torsion Joint Module for SRV02-ET, ABET-Aligned Lab Teaching Materials and VIS |
| 782505-01 | 775326-01 | 1 Channel Linear Voltage Amplifier, 4.16A, 24V Continuous, Current Sense, Over-Heat/Current Indication |
| 782539-01 | 763357-03 | CP-507CCAN-03-0 Motor Power Cable, AKM Motor to AKD Drive, 3M |
| 782539-20 | 749248-01 | CP-507CCAN-20-0 MOTOR POWER CABLE, AKM MOTOR TO AKD DRIVE, 20M |
| 782539-30 | 749672-01 | CP-507CCAN-30-0 MOTOR POWER CABLE, AKM MOTOR TO AKD DRIVE, 30M |
| 782540-01 | 763560-03 | CF-CB7374N-03-0 Motor Feedback Cable, AKM Motor to AKD Drive, 3M |
| 782557-01 | 748581-01 | ICD05-075A1P3 DDL ICD Ironcore Motor, Flying Leads (100MM) with Connector |
| 782558-01 | 748582-01 | ICD05-075A5P3 DDL ICD Ironcore Motor, Flying Leads (100MM) with Connector |
| 782559-01 | 763582-03 | M1C-03, High Flex Motor Cable, 18 AWG for 3A and 6A Drives, 3M |
| 782560-01 | 763583-03 | H1C-03, High Flex Hall Effect Cable, 3M |
| 782562-01 | 748584-01 | S77202-NANANA, Brushless Servo Drive, 72A Continuous Current, 480V |



| Kit Part Number | Component/Assy. Part Number(s) | Description |
|-----------------|-------------------------------------|--|
| e.g., 1xxxxx-xx | e.g., 1xxxxxX-xx (rev. X or higher) | Description of RoHS-compliant product (shipping kit) |
| 782564-01 | 763585-05 | DE-201589, 48 AMP S700 Power Cable, 5M |
| 782565-01 | 763586-05 | DE-84972, Resolver Feedback Cable, 5M |
| 782575-01 | 748593-01 | XT060-005-0-RM-60-1 XTRUE True Planetary Gearhead, Size 60, 5:1 Ratio, Size 060-1 |
| 782599-01 | 748600-01 | VT018-010-0-RM180-114 Valuetrue Planetary Gearhead, Size 018, 10:1 Ratio, Size 180 Redimount |
| 782601-01 | 763620-01 | Motor Power Cable, AKM Motor to AKD Drive, 6M, VP-508DEAN-06 |
| 782624-01 | 748620-01 | UT014-005-0-RM142-92, Ultratrue True Planetary Gearhead, Size 014, 5:1 Ratio, Size 142 Redimount |
| 782675-01 | 748650-01 | K34H-RLL-LNK-NS-00 Step Motor, 4 Lead Series Connector, No Rear Shaft Ext., Straight Keyway, No Feedback |
| 782680-01 | 763631-01 | VP-508CEAN-01, 12 AMP AKD Power Cable, 1M |
| 782680-03 | 763640-01 | VP-508CEAN-03, 12 AMP AKD Power Cable, 3M |
| 782680-06 | 763642-01 | VP-508CEAN-06, 12 AMP AKD Power Cable, 6M |
| 782680-09 | 763643-01 | VP-508CEAN-09, 12 AMP AKD Power Cable, 9M |
| 782680-12 | 763644-01 | VP-508CEAN-12, 12 AMP AKD Power Cable, 12M |
| 782682-09 | 763645-01 | VP-508CFAN-09, 12 AMP AKD Power/Brake Cable, 9M |
| 782683-01 | 763646-01 | VP-508DEAN-01, 20 AMP AKD Power Cable, 1M |
| 782683-03 | 763653-01 | VP-508DEAN-03, 20 AMP AKD Power Cable, 3M |
| 782683-09 | 763655-01 | VP-508DEAN-09, 20 AMP AKD Power Cable, 9M |
| 782683-12 | 763658-01 | VP-508DEAN-12, 20 AMP AKD Power Cable, 12M |
| 782684-01 | 763659-01 | VP-508DFAN-01, 20 AMP AKD Power/Brake Cable, 1M |
| 782684-03 | 763660-01 | VP-508DFAN-03, 20 AMP AKD Power/Brake Cable, 3M |
| 782684-06 | 763661-01 | VP-508DFAN-06, 20 AMP AKD Power/Brake Cable, 6M |
| 782684-09 | 763666-01 | VP-508DFAN-09, 20 AMP AKD Power/Brake Cable, 9M |
| 782684-12 | 763667-01 | VP-508DFAN-12, 20 AMP AKD Power/Brake Cable, 12M |
| 782687-09 | 763668-01 | VF-DA0474N-09, Smart Feedback (SFD) Cable, 9M |
| 782689-01 | 748645-01 | Q1-CRIO, Data Acquisition and Control Module for COMPACTRIO, 1 AO, 1 AI, 2 ENCODER IN |
| 782712-01 | 748676-01 | NTR23-500-0-RM060-311, NEMATTRUE 90 Right Angle GEARHEAD, Size 023, 500:1 Ratio, Size 060 Redimount |
| 782786-01 | 697211-02 | 16GB INDUSTRIALLY RATED COMPACT FLASH CARD FOR TPC-22XX |
| 782848-01 | 748752-01 | Replacement System Monitor Assembly For NI PXI-1016 Chassis |
| 782854-01 | 153700A-01(Rev A or higher) | NI HDD-8266 24-DRIVE, 24TB SATA, CABLED PCIE HDD ENCLOSURE W/RAID |
| 782858-01 | 153700A-02 | NI HDD-8266 24-DRIVE, 3.5TB SAS, CABLED PCIE HDD ENCLOSURE W/RAID |
| 782876-01 | 748754-01 | KBM-57S01-A00 Frameless Brushless Servomotor, Stack Length 01, A Winding |
| 782933-12 | 763839-12 | CF-SS-CHUE-12 COMMUTATING ENCODER FEEDBACK CABLE, AKM MOTOR TO AKD DRIVE, 12M |
| 782964-20 | 749250-01 | CF-DA0374N-20-0, MOTOR FEEDBACK CABLE, AKM MOTOR TO AKD DRIVE, 20M |
| 783077-01 | 748884-01 | 3YLN-06 MOTOR CABLE CHOKE, 6 AMP CONTINUOUS OR LESS |
| 783079-01 | 748885-01 | XT120-020-0-RM115-71 XTRUE TRUE PLANETARY GEARHEAD, SIZE 120, 20:1 RATIO, SIZE 115 REDIMOUNT |
| 783085-01 | 748887-01 | P70530-PNN DRIVE, 20-75 VDC, 5 AMP CONT, MOTION NODE INDEXING, NO FEEDBACK DEVICE SUPPORT |
| 783099-01 | 749158-01 | SISU 1004 4-AXIS STEPPER MOTOR INTERFACE MODULE FOR CRIO |
| 783137-01 | 749084-01 | VLM32H-CLNC-00, BRUSHLESS SERVO, METRIC MOUNT, SMOOTH SHAFT, FLYING LEAD CABLES, SMART FEEDBACK, 1 M LEADS |
| 783158-01 | 763946-01 | CP-508DCAN-06-0, FLEX MOTOR POWER CABLE W/BRAKE, AKM MOTOR TO AKD DRIVE, 6M |
| 783159-01 | 763947-01 | CF-SB7374N-06-0, FLEX MOTOR FEEDBACK CABLE, AKM MOTOR TO AKD DRIVE, 6M |
| 783159-30 | 749673-01 | CF-SB7374N-30-0, FLEX MOTOR FEEDBACK CABLE, AKM MOTOR TO AKD DRIVE, 30M |
| 783166-01 | 749159-01 | SISU RJ45 TO TERMINALS BREAKOUT FOR THE SISU-1004 C SERIES MODULE |
| 783171-01 | 749114-01 | KOLLMORGEN KCM-E200 CAPACITOR MODULE |
| 783172-01 | 749115-01 | KOLLMORGEN KCM-E400 CAPACITOR MODULE |
| 783190-01 | 749130-01 | XT80-030-0-RM090-6, XTRUE GEARHEAD, SIZE 80, 30:1 RATIO, 090 REDIMOUNT |
| 783197-01 | 749138-01 | XT60-020-0-RM060-6, XTRUE GEARHEAD, SIZE 60, 20:1 RATIO, 060 REDIMOUNT |
| 783204-01 | 763978-01 | CF-RA2574N-20-0 MOTOR FEEDBACK CABLE, AKM MOTOR TO AKD DRIVE, 20M |



| Kit Part Number | Component/Assy. Part Number(s) | Description |
|-----------------|-------------------------------------|--|
| e.g., 1xxxxx-xx | e.g., 1xxxxxX-xx (rev. X or higher) | Description of RoHS-compliant product (shipping kit) |
| 783312-01 | 749194-01 | VLM22C-DKNC-00 BRUSHLESS SERVO, NEMA 23 MOUNT, 1/4" SMOOTH SHAFT, SMART FEEDBACK, 1 M LEADS |
| 783319-01 | 763200-01 | ENCODER FEEDBACK CABLE, CF-SB7374N-20, AKM MOTOR TO AKD DRIVE, 20 M |
| 783321-01 | 749212-01 | FILTER, DE-201569, 3NF-07 |
| 783322-01 | 749213-01 | FILTER, DE-201570 3NF-16 |
| 783323-01 | 749214-01 | FILTER, DE-201571 3NF-30 |
| 783324-01 | 749209-01 | SERVO DRIVE EXTERNAL RESISTOR, BAR-500-33, 500 W, 33 OHMS |
| 783325-01 | 749210-01 | SERVO DRIVE EXTERNAL RESISTOR, BAS-4000-23, 4000 W, 23 OHMS |
| 783326-01 | 749211-01 | SERVO DRIVE EXTERNAL RESISTOR, BAR-1500-33, 1500 W, 33 OHMS |
| 783384-01 | 749254-01 | NTR34-006-0-RM090-40, NEMATRU 90 RIGHT ANGLE GEARHEAD, SIZE 34, 6:1 RATIO, SIZE 090 REDIMOUNT |
| 783386-01 | 749276-01 | KBMS-17H02-A00 SERVOMOTOR, HIGH VOLTAGE INSULATION, STACK LENGTH 02, A WINDING |
| 783387-01 | 749277-01 | KBMS-17H02-D00 SERVOMOTOR, HIGH VOLTAGE INSULATION, STACK LENGTH 02, D WINDING |
| 783388-01 | 749278-01 | KBMS-17H03-A00 SERVOMOTOR, HIGH VOLTAGE INSULATION, STACK LENGTH 03, A WINDING |
| 783389-01 | 749279-01 | KBMS-25H03-D00 SERVOMOTOR, HIGH VOLTAGE INSULATION, STACK LENGTH 03, D WINDING |
| 783390-01 | 749280-01 | S20330-VTS SERVO DRIVE, 90 VDC, 3 AMP CONTINUOUS, SMART FEEDBACK DEVICE AND HALLS SUPPORT |
| 783391-01 | 749281-01 | S20630-VTS SERVO DRIVE, 90 VDC, 6 AMP CONTINUOUS, SMART FEEDBACK DEVICE AND HALLS SUPPORT |
| 783438-01 | 763112-01 | CF-SB7374N-03-0 MOTOR FEEDBACK CABLE, ENDAT ENCODER, FLEXING, 3M |
| 783439-01 | 749321-01 | D083M-22-1310 HOUSED DDR 230V BRUSHLESS SERVOMOTOR, SINGLE TURN ABSOLUTE SINE ENCODER (2048 LINE) |
| 783569-01 | 156783A-01(Rev A or higher) | VIRTUALBENCH DESKTOP MOUNTING KIT |
| 783606-01 | 749491-01 | D063M-12-1310 HOUSED DDR SERIES 230V BRUSHLESS SERVOMOTOR, ABSOLUTE SINE ENCODER (2048 LINE) |
| 783707-03 | 749601-01 | CP-507CDAN-03-0 MOTOR POWER CABLE W/BRAKE LINES, FLEXING, 3M |
| 783708-10 | 749602-01 | CF-SB7374N-10-0 MOTOR FEEDBACK CABLE, SINE ENCODER, FLEXING, 10M |
| 783709-03 | 749603-01 | CF-DA0374N-03-0 MOTOR FEEDBACK CABLE, SFD, FLEXING, 3M |
| 783746-01 | 749605-01 | AQT060-010-0-MMR-725, AQUATRU 60MM FRAME, 10:1 RATIO |
| 783747-01 | 749606-01 | AKM33H-CNKNC-3K BRUSHLESS SERVO MOTOR |
| 783805-01 | 749648-01 | XT80-005-0-RM-090-40 TRUE PLANETARY GEARHEAD, SIZE 80, 5:1 RATIO, SIZE 090-1 REDIMOUNT |
| 783826-01 | 749674-01 | N31HRFK-LNK-NS-00 HIGH TORQUE NEMA 34 STEP MOTOR, 8 LEAD CONNECTION, STRAIGHT KEYWAY |
| 783844-05 | 749685-01 | CP-SS-G1HE-05, MOTOR POWER CABLE, 5 METER |
| 783845-05 | 749686-01 | CF-SS-RHGE-05, RESOLVER FEEDBACK CABLE, 5 METER |
| 783875-06 | 749696-01 | CM11A3-010-006-00, MOTOR CABLE, 230V, 3/6A, BRAKE, 6 METER |
| 783876-06 | 749697-01 | CFS0A3-002-006-00, FEEDBACK CABLE, 6 METER |
| 783900-01 | 155866B-01 | NI Savage T-Bench CIB Mount For PXI |
| 783904-01 | 158320A-01(Rev A or higher) | REPLACEMENT USB CABLE FOR USB-5680 POWER SENSOR |
| 783955-01 | 749732-01 | VT006-028-0-RM060-6 VALUETRU 28:1 GEARHEAD, SIZE 006, 28:1, SIZE 060 REDIMOUNT FOR AKM2XX - AX MOTOR |
| 783956-01 | 749733-01 | VT006-035-0-RM060-6 VALUETRU 35:1 GEARHEAD, SIZE 006, 35:1, SIZE 060 REDIMOUNT FOR AKM2XX - AX MOTOR |
| 783961-01 | 749738-01 | XT40-010-0-RM040-130 XTRUE TRUE PLANETARY GEARHEAD, SIZE 40, 10:1 RATIO, SIZE 040 REDIMOUNT |
| 783997-01 | 749776-01 | NTR23-010-0-RM060-6, NEMATRU 90 RIGHT ANGLE GEARHEAD, SIZE 023, 10:1 RATIO, SIZE 060 REDIMOUNT |
| 783998-01 | 749777-01 | NTR23-200-0-RM060-6, NEMATRU 90 RIGHT ANGLE GEARHEAD, SIZE 023, 200:1 RATIO, SIZE 060 REDIMOUNT |
| 784151-01 | 749853-01 | CP-102AAAN-05-0 MOTOR POWER CABLE, 5.0 METER FOR S200 DRIVES |
| 784152-01 | 749854-01 | CF-DA0111-05-0 MOTOR FEEDBACK CABLE, 5.0 METER FOR S200 DRIVES |



| Kit Part Number | Component/Assy. Part Number(s) | Description |
|------------------------|--|---|
| e.g., 1xxxxx-xx | e.g., 1xxxxxX-xx (rev. X or higher) | Description of RoHS-compliant product (shipping kit) |
| 784153-01 | 749855-01 | CK-S200-IP-AC-TB CONNECTOR KIT FOR S200 DRIVES, I/O AND INPUT POWER MATING CONNECTORS |
| 784154-01 | 749856-01 | S20260-VTS BRUSHLESS SERVO DRIVE, 120/240 VAC, 1.5 A, SFD AND HALLS SUPPORT |
| 784159-01 | 749857-01 | CCJ1A1-015-003-00 HYBRID GEN 3 SFD POWER/FEEDBACK CABLE, 3M |
| 784221-01 | 769121-01 | VF-SB4474N-12-0 MOTOR FEEDBACK CABLE, ENDAT ENCODER |
| 784246-01 | 750153-01 | VTR006-010-0-RM060-6 VALUETRUE HELICAL RIGHT ANGLE GEARHEAD, SIZE 006, 10:1, 060 REDIMOUNT |
| 784247-01 | 750168-01 | CH054A-13-3305 CARTRIDGE DDR 480 V PMSM, ROTATABLE CONNECTORS, SOLID SHAFT, BISS ENCODER |
| 784285-01 | 769129-01 | AK6-GE3-D-M23-SC FEEDBACK CABLE, SFD 3RD GEN, M23 PLUG |
| 784288-01 | 750186-01 | VTR006-015-0-RM060-6 RIGHT ANGLE GEARHEAD, SIZE 006, 15:1, 060 REDIMOUNT FOR AKM2XX-AX MOTOR. |
| 786402-01 | 754002-01 | DS4-100-P-5G-AKM23D-B2DA-X23-0E6-PU6E- LN1-HN1-()-E3-P1, PRECISION TABLE |
| 786480-01 | 754028-01 | TPT CONNECTION UNIT + TPT 2/MP1 |